



Bestway

ABOVE GROUND POOLS

2023 CATALOG

Bestway

2023 CATALOG COLLECTION

Enjoy our extensive collection of products in our six catalogs.


- Above Ground Pools
 - Air Mattresses
 - Spa
 - Summer & License
 - Watersports
 - Camping Gear*
- *Only available for 2023.

Digital Catalogs

Easily access all of our catalogs while on the go. Ask your Sales Rep for the link to our catalog website, and Bestway® products can be right at your fingertips!

- View the latest catalogs
- Quickly flip through and find any product
- Check out product details, photos and even videos





VISION & MISSION

Since 1994, our vision has been to create fun, memorable experiences for everyone in the world through our innovative, dependable products.

Now, just over 25 years later, Bestway has forged a global presence in more than 100 countries by developing an extensive product line and becoming forward thinkers about sustainable business practices. Today, we manufacture and sell more than 1,100 different products within four core categories: above ground pools and portable spas, recreational products, sporting goods, and camping products.

SERVICE

Bestway is committed to customer satisfaction and providing you with the best product solutions. That's why every department in Bestway works closely together - from our technology and quality assurance centers to our laboratories, vertically integrated manufacturing systems and after-sales service centers around the globe.

Bestway's advanced online services and regional call centers allow customers to easily resolve issues that arise with their products, offering downloadable manuals, instructional videos, and 24/7 call support.



VERTICALLY INTEGRATED



CUSTOMER FOCUSED



INNOVATIVE



SUSTAINABLE



CONSUMER DRIVEN



FULLY OWNED PRODUCTION FACILITIES



SERVICE & SOLUTIONS

GLOBAL FACTORIES



JIANGSU



YANCHENG



HAIAN



NANTONG



SHANGHAI



VIETNAM

AROUND THE WORLD



CHANDLER, U.S.A.
R&D • SUBSIDIARY



SANTIAGO, CHILE
SUBSIDIARY



SAN PAULO, BRAZIL
SUBSIDIARY



HAMBURG, GERMANY
SUBSIDIARY



NICE, FRANCE
SUBSIDIARY



MILAN, ITALY
R&D • SUBSIDIARY



COPENHAGEN, DENMARK
SUBSIDIARY



WARSAW, POLAND
SUBSIDIARY



DUBAI, U.A.E.
SUBSIDIARY



MOSCOW, RUSSIA
SUBSIDIARY



HONG KONG, CHINA
R&D • SUBSIDIARY



SHANGHAI, CHINA
HQ • PRODUCTION



SYDNEY, AUSTRALIA
SUBSIDIARY

CONTENTS

Fast Set™ Pools pg 12

Steel Pro™ Pools pg 18

Steel Pro MAX™ Pools pg 22

Power Steel™ Pools pg 30

Power Steel™ Swim Vista Series™ II pg 42

Power Steel™ Comfort Jet Series™ pg 46

Hydrium™ Pools pg 48

Kiddie Pools pg 56

Flowclear™ Accessories pg 62

Filtration pg 64

Environment pg 76

Maintenance Equipment pg 84

Pool Covers – Ground Cloths pg 112

Index pg 118



POOL TECHNOLOGY HIGHLIGHTS

We're taking Bestway products to the next level. We looked closely at how our pools are built with the goal of improving durability and enhancing the overall product line.




STEEL FRAME DESIGN WITH ADVANCED SEAL & LOCK SYSTEM™

The advanced design of the Seal & Lock System™ is engineered to hold the corrosion-resistant steel frame together with strength and durability. The protective coating prevents damage and metal-on-metal contact, which can lead to rust.



STEEL FRAME CONNECTION WITH FRAMELINK SYSTEM™ & CLICKCONNECT SYSTEM™

The corrosion-resistant steel frames are held together with either the FrameLink System™ or the ClickConnect System™ to ensure safe and secure connections.



A VIEW INTO THE FUN

Swim Vista built-in pool portholes bring function and fun to Power Steel™ Swim Vista Series™ II pools. Peek inside of the pool or dive down for an underwater photo. These portholes are immediate conversation starters and enjoyable for all.

And they're built to last. Clear, durable plastic is welded onto the pool vinyl. They'll last all summer long - and so will the fun!



A HANDS-FREE SOLUTION FOR CHLORINE CLEANING

The ChemConnect™ chlorine dispenser works with the pool's pump to consistently spread chlorine across your pool. This hassle-free maintenance solution replaces the need for a floating dispenser.



PERFECT FROSTED FINISH - POOL FRAMES

Our pool frames feature a textured, frosted finish that not only looks great, but also has many benefits for the consumer. The coating serves as an extra barrier to damage, while the texture prevents the liner from sticking to the frame. This makes set-up and takedown even easier than it was before!

BESTWAY ABOVE GROUND POOLS PACKAGING

With a modern and informational design, our packaging looks great on the shelf. Prospective pool owners will get a feel for our different lines of above ground pools with a quick glance. And, don't forget the pool accessories!

PLANOGRAM

Actual in-store displays may vary.

US DISPLAY



INTL DISPLAY





FAST SET™

Fast and simple to assemble – just select a level surface, inflate the top ring, fill the pool with water and you'll be splashing around in no time! No tools required for a Bestway® Fast Set Pool!

PRODUCT HIGHLIGHTS



**Self-Supporting
Inflatable Top Ring**



**DuraPlus™
3-Layer Puncture
Resistant Liner Material**



**Easy Setup
Unpack - Inflate - Fill**



**Bestway
Fast Set™**

PRODUCT MATRIX

20 - 26 in. / 51 - 66 cm			30 - 33 in. / 76 - 84 cm				42 in. / 1.07 m
6 ft. x 20 in. / 1.85 m x 51 cm PG. 14	8 ft. x 24 in. / 2.44 m x 61 cm PG. 15	10 ft. x 26 in. / 3.05 m x 66 cm PG. 15	12 ft. x 30 in. / 3.66 m x 76 cm PG. 15	12 ft. x 30 in. / 3.66 m x 76 cm PG. 16	15 ft. x 33 in. / 4.57 m x 84 cm PG. 17	15 ft. x 33 in. / 4.57 m x 84 cm PG. 17	15 ft. x 42 in. / 4.57 m x 1.07 m PG. 17



6 ft. x 20 in. / 1.83 m x 51 cm

Water Capacity (80%): 248 gal. (940 L)

Item #	Region	Pack	Res. (kg)
57392E	US	4	27.2 (12.4)
57392	Europe	4	27.2 (12.4)

8 ft. x 24 in. / 2.44 m x 61 cm

Water Capacity (80%): 497 gal. (1,880 L)

Item #	Region	Pack	Res. (kg)	Filter Pump	Voltage	Cartridge
57447E	US	1	12.1 (5.5)			
57447	North America	1	12.1 (5.5)			
57447	Oceania	1	12.1 (5.5)			
57448	Europe	1	12.1 (5.5)			
57449E	US	1	18.3 (8.3)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
57449	N. America / Asia, Africa & Latin America	1	18.1 (8.2)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
57449	Oceania	1	16.9 (7.7)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57450	Europe	1	17.7 (8.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57450	Asia, Africa & Latin America	1	16.0 (7.3)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I

10 ft. x 26 in. / 3.05 m x 66 cm

Water Capacity (80%): 845 gal. (3,200 L)

Item #	Region	Pack	Res. (kg)	Filter Pump	Voltage	Cartridge
57455E	US	1	17.2 (7.8)			
57455	North America	1	17.2 (7.8)			
57455	Oceania	1	17.2 (7.8)			
57456	Europe	1	17.2 (7.8)			
57457E	US	1	23.4 (10.6)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
57457	N. America / Asia, Africa & Latin America	1	23.1 (10.5)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
57457	Oceania	1	21.9 (9.9)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57458	Europe	1	22.7 (10.3)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57458	Asia, Africa & Latin America	1	21.0 (9.5)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I

12 ft. x 30 in. / 3.66 m x 76 cm

Water Capacity (80%): 1,421 gal. (5,377 L)

Item #	Region	Pack	Res. (kg)	Filter Pump	Voltage	Cartridge
57308E	US	1	27.2 (12.3)			
57308	North America	1	27.2 (12.3)			
57308	Oceania	1	27.2 (12.3)			
57273	Europe	1	27.1 (12.3)			
57275E	US	1	33.2 (15.1)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
57275	N. America / Asia, Africa & Latin America	1	33.0 (15.0)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
57275	Oceania	1	31.7 (14.4)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57274	Europe	1	32.5 (14.7)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57274	Asia, Africa & Latin America	1	30.8 (14.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I

FEATURES & TECHNOLOGIES

SELF-SUPPORTING INFLATABLE TOP RING

No tools needed - simply inflate the top ring, start filling the pool with water, and watch as the ring rises with the water level.



BUILD



DURAPLUS™ Puncture-Resistant Liner

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



CONVENIENCE



PACKAGING

Full Color Box





12 ft. x 30 in. / 3.66 m x 76 cm

Water Capacity (80%): 1,421 gal. (5,377 L)



Item #	Region	Pack	Ibs. (kg)	Filter Pump	Voltage	Cartridge
57442E	US	1	27.2 (12.3)			
57442	North America	1	27.2 (12.3)			
57442	Oceania	1	27.2 (12.3)			
57443	Europe	1	27.1 (12.3)			
57444E	US	1	33.2 (15.1)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
57444	N. America / Asia, Africa & Latin America	1	33.0 (15.0)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
57444	Oceania	1	31.7 (14.4)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57445	Europe	1	32.5 (14.7)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57445	Asia, Africa & Latin America	1	30.8 (14.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I



13 ft. x 33 in. / 3.96 m x 84 cm

Water Capacity (80%): 1,939 gal. (7,340 L)



Item #	Region	Pack	Ibs. (kg)	Filter Pump	Voltage	Cartridge
57375E	US	1	41.9 (19.0)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
57375	N. America / Asia, Africa & Latin America	1	41.7 (18.9)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
57375	Oceania	1	40.3 (18.3)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II
57376	Europe	1	40.2 (18.2)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II
57376	Asia, Africa & Latin America	1	39.5 (17.9)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II

15 ft. x 33 in. / 4.57 m x 84 cm

Water Capacity (80%): 2,656 gal. (9,677 L)



Item #	Region	Pack	Ibs. (kg)	Filter Pump	Voltage	Cartridge
57315E	US	1	53.0 (24.0)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
57315	N. America / Asia, Africa & Latin America	1	51.5 (23.4)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
57315	Oceania	1	51.5 (23.4)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II
57313	Europe	1	51.3 (23.3)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II
57313	Asia, Africa & Latin America	1	50.1 (22.7)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II

15 ft. x 42 in. / 4.57 m x 1.07 m

Water Capacity (80%): 3,266 gal. (12,362 L)



Item #	Region	Pack	Ibs. (kg)	Filter Pump	Voltage	Cartridge	Ladder
57371E	US	1	79.5 (36.1)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58335
57371	N. America / Asia, Africa & Latin America	1	78.0 (35.4)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58335
57371	Oceania	1	78.0 (35.4)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58335
57372	Europe	1	80.3 (36.4)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58330
57372	Asia, Africa & Latin America	1	77.8 (35.3)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58335

FEATURES & TECHNOLOGIES

SELF-SUPPORTING INFLATABLE TOP RING

No tools needed - simply inflate the top ring, start filling the pool with water, and watch as the ring rises with the water level.




BUILD



DURAPLUS™

Puncture-Resistant Liner

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



CONVENIENCE



PACKAGING

Full Color Box





STEEL PRO™

Easy to assemble and very affordable, with a strong, steel frame – you get a lot of pool for your money with a Bestway® Steel Pro Pool.

PRODUCT HIGHLIGHTS



FrameLink System™
CornerRadius Protection



DuraPlus™
3-Layer PVC
Resistant Liner Material



PRODUCT MATRIX

17 in. / 43 cm	24 – 26 in. / 61 – 66 cm	32 in. / 81 cm
7 ft. 5 in. x 59 in. x 17 in. / 2.21 m x 1.50 m x 43 cm PG. 21	8 ft. 6 in. x 67 in. x 24 in. / 2.59 m x 1.70 m x 61 cm PG. 21	9 ft. 10 in. x 6 ft. 7 in. x 26 in. / 3.00 m x 2.01 m x 66 cm PG. 21
NEW DES.	NEW DES.	NEW DES.



7 ft. 3 in. x 59 in. x 17 in. / 2.21 m x 1.50 m x 43 cm

Water Capacity (90%): 317 gal. (1,200 L)

Item #	Region	Pack	Wt. (kg)
56545E	US	1	21.3 (9.6)
56545	North America	1	21.3 (9.6)
56545	Oceania	1	21.3 (9.6)
56401	Europe / Asia, Africa & Latin America	1	21.2 (9.6)

8 ft. 6 in. x 67 in. x 24 in. / 2.59 m x 1.70 m x 61 cm

Water Capacity (90%): 608 gal. (2,300 L)

Item #	Region	Pack	Wt. (kg)
56496E	US	1	29.7 (13.5)
56496	North America	1	29.7 (13.5)
56496	Oceania	1	29.7 (13.5)
56403	Europe / Asia, Africa & Latin America	1	29.7 (13.5)

9 ft. 10 in. x 6 ft. 7 in. x 26 in. / 3.00 m x 2.01 m x 66 cm

Water Capacity (90%): 872 gal. (3,300 L)

Item #	Region	Pack	Wt. (kg)	Filter Pump	Voltage	Cartridge
56498E	US	1	38.7 (17.6)			
56498	North America	1	38.7 (17.6)			
56498	Oceania	1	38.7 (17.6)			
56404	Europe / Asia, Africa & Latin America	1	38.8 (17.6)			
56412E	US	1	43.8 (19.9)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56412	N. America / Asia, Africa & Latin America	1	42.4 (19.2)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56412	Oceania	1	42.4 (19.2)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56411	Europe	1	42.7 (19.4)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56411	Asia, Africa & Latin America	1	41.8 (19.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I

13 ft. 1 in. x 6 ft. 11 in. x 32 in. / 4.00 m x 2.11 m x 81 cm

Water Capacity (90%): 1,506 gal. (5,700 L)

Item #	Region	Pack	Wt. (kg)	Filter Pump	Voltage	Cartridge
56512E	US	1	67.0 (30.4)			
56512	North America	1	67.0 (30.4)			
56512	Oceania	1	67.0 (30.4)			
56405	Europe / Asia, Africa & Latin America	1	67.0 (30.4)			
56425E	US	1	72.3 (32.8)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56425	N. America / Asia, Africa & Latin America	1	71.0 (32.2)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56425	Oceania	1	71.0 (32.2)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56424	Europe	1	71.2 (32.3)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56424	Asia, Africa & Latin America	1	70.3 (31.9)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I

FEATURES & TECHNOLOGIES

FRAMELINK SYSTEM™

Corrosion Prevention

Simple to set up, the FrameLink System ensures remarkable strength and durable frame connection - all with a protective coating that prevents damage.



BUILD



DURAPLUS™

Puncture-Resistant Liner

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



CONVENIENCE



Drain Valve



Corrosion Resistant Steel Frame



No Tools Required
Easy to Assemble

PACKAGING

Full Color Box



STEEL PRO™ | 21

NEW DES.

NEW DES.

NEW DES.

NEW DES.



STEEL PRO MAX™

The Steel Pro MAX above ground pool is designed with durability, strength and family fun in mind. Built with enhanced materials, these pools will last for many summers to come.

PRODUCT HIGHLIGHTS



Prismatic Stone™
Inner Liner



FrameLink System™
Corrosion Prevention



ClickConnect System™
Corrosion Prevention,
Quick-Click Technology for
Easy Setup



DuraPlus™
3-Layer Puncture
Resistant Liner Material



PRODUCT MATRIX

30-53 in. / 76-84 cm			39.5-42 in. / 1.00-1.07 m				48 in. / 1.22 m				
10 ft. x 30 in. / 3.05 m x 76 cm PG. 24	12 ft. x 30 in. / 3.66 m x 76 cm PG. 25	14 ft. x 33 in. / 4.27 m x 84 cm PG. 27 NEW GEN	12 ft. x 39.5 in. / 3.66 m x 1.00 m PG. 25	14 ft. x 42 in. / 4.27 m x 1.07 m PG. 27 NEW GEN	15 ft. x 42 in. / 4.57 m x 1.07 m PG. 28 NEW GEN	12 ft. x 48 in. / 3.66 m x 1.22 m PG. 25	13 ft. x 48 in. / 3.96 m x 1.22 m PG. 25 NEW GEN	14 ft. x 48 in. / 4.27 m x 1.22 m PG. 27 NEW GEN	15 ft. x 48 in. / 4.57 m x 1.22 m PG. 29 NEW GEN	16 ft. x 48 in. / 4.88 m x 1.22 m PG. 29 NEW GEN	18 ft. x 48 in. / 5.49 m x 1.22 m PG. 29 NEW GEN



10 ft. x 30 in. / 3.05 m x 76 cm

Water Capacity (90%): 1,236 gal. (4,678 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge
56493E	US	1	38.9 (17.6)			
56493	North America	1	38.9 (17.6)			
56493	Oceania	1	38.9 (17.6)			
56406	Europe	1	38.8 (17.6)			
56407E	US	1	44.3 (20.1)	S8511 (330 gal./1,249 L)	110-120 V	S8093, Type: I
56407	N. America / Asia, Africa & Latin America	1	44.1 (20.0)	S8511 (330 gal./1,249 L)	110-120 V	S8093, Type: I
56407	Oceania	1	44.1 (20.0)	S8381 (330 gal./1,249 L)	220-240 V	S8093, Type: I
56408	Europe	1	43.5 (19.8)	S8381 (330 gal./1,249 L)	220-240 V	S8093, Type: I
56408	Asia, Africa & Latin America	1	42.4 (19.2)	S8381 (330 gal./1,249 L)	220-240 V	S8093, Type: I



12 ft. x 30 in. / 3.66 m x 76 cm

Water Capacity (90%): 1,710 gal. (6,473 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge
56417E	US	1	54.8 (24.9)	S8511 (330 gal./1,249 L)	110-120 V	S8093, Type: I
56417	N. America / Asia, Africa & Latin America	1	54.6 (24.8)	S8511 (330 gal./1,249 L)	110-120 V	S8093, Type: I
56417	Oceania	1	54.6 (24.8)	S8381 (330 gal./1,249 L)	220-240 V	S8093, Type: I
56416	Europe	1	53.8 (24.4)	S8381 (330 gal./1,249 L)	220-240 V	S8093, Type: I
56416	Asia, Africa & Latin America	1	52.8 (23.9)	S8381 (330 gal./1,249 L)	220-240 V	S8093, Type: I

12 ft. x 39.5 in. / 3.66 m x 1.00 m

Water Capacity (90%): 2,417 gal. (9,150 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Ladder
56419	N. America / Asia, Africa & Latin America	1	65.9 (29.9)	S8384 (530 gal./2,006 L)	110-120 V	S8012, Type: III - A/C	
56419	Oceania	1	64.8 (29.4)	S8383 (530 gal./2,006 L)	220-240 V	S8094, Type: II	
56418	Europe	1	83.5 (37.9)	S8383 (530 gal./2,006 L)	220-240 V	S8094, Type: II	S8330
56418	Asia, Africa & Latin America	1	82.0 (37.2)	S8383 (530 gal./2,006 L)	220-240 V	S8094, Type: II	S8335
56260	Asia, Africa & Latin America	1	63.9 (29.0)	S8383 (530 gal./2,006 L)	220-240 V	S8094, Type: II	

12 ft. x 48 in. / 3.66 m x 1.22 m

Water Capacity (90%): 2,708 gal. (10,250 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder
56421	N. America / Asia, Africa & Latin America	1	104.8 (47.5)	S8384 (530 gal./2,006 L)	110-120 V	S8012, Type: III - A/C	S8037	S8336
56421	Oceania	1	104.8 (47.5)	S8383 (530 gal./2,006 L)	220-240 V	S8094, Type: II	S8037	S8336
56420	Europe	1	108.7 (49.3)	S8383 (530 gal./2,006 L)	220-240 V	S8094, Type: II	S8037	S8331
56420	Asia, Africa & Latin America	1	100.8 (45.7)	S8383 (530 gal./2,006 L)	220-240 V	S8094, Type: II	S8037	S8336

13 ft. x 48 in. / 3.96 m x 1.22 m

Water Capacity (90%): 3,352 gal. (12,690 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder
5618UE	US	1	120.8 (54.8)	S8388 (1,000 gal./3,785 L)	110-120 V	S8012, Type: III - A/C	S8248	S8336
5618V	N. America / Asia, Africa & Latin America	1	119.6 (54.3)	S8387 (800 gal./3,028 L)	110-120 V	S8012, Type: III - A/C	S8248	S8336
5618V	Oceania	1	119.6 (54.3)	S8386 (800 gal./3,028 L)	220-240 V	S8094, Type: II	S8248	S8336
5618W	Europe	1	124.3 (56.4)	S8386 (800 gal./3,028 L)	220-240 V	S8094, Type: II	S8248	S8331
5618W	Asia, Africa & Latin America	1	120.0 (54.4)	S8386 (800 gal./3,028 L)	220-240 V	S8094, Type: II	S8248	S8336


FEATURES & TECHNOLOGIES

FRAMELINK SYSTEM™ & CLICKCONNECT SYSTEM™ Corrosion Prevention

Simple to set up, the FrameLink System and ClickConnect System both ensure remarkable strength and durable frame connection - all with a protective coating that prevents damage.

All 12 ft. / 3.66 m diameter and under pools are built with FrameLink, while larger pools are built with ClickConnect.

BUILD



DURAPLUS™ Puncture-Resistant Liner

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



CONVENIENCE



PACKAGING

Full Color Box & Sturdy Cardboard Box with Pictures



NEW GEN.



14 ft. x 33 in. / 4.27 m x 84 cm

Water Capacity (90%): 2,700 gal. (10,220 L)

Item #	Region	Pack	Res. (kg)	Filter Pump	Voltage	Cartridge
56597E	US	1	78.4 (35.6)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
56597	N. America / Asia, Africa & Latin America	1	78.3 (35.5)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
56597	Oceania	1	78.3 (35.5)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II
56595	Europe	1	76.5 (34.7)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II
56595	Asia, Africa & Latin America	1	76.3 (34.6)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II

14 ft. x 42 in. / 4.27 m x 1.07 m

Water Capacity (90%): 3,440 gal. (13,030 L)

Item #	Region	Pack	Res. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder
56948E	US	1	115.1 (52.2)	58388 (1,000 gal./3,785 L)	110-120 V	58012, Type: III - A/C	58248	58335
56949	N. America / Asia, Africa & Latin America	1	113.9 (51.7)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	58248	58335
56949	Oceania	1	113.9 (51.7)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58335
56950	Europe	1	116.3 (52.7)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58330
56950	Asia, Africa & Latin America	1	112.2 (50.9)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58335

14 ft. x 48 in. / 4.27 m x 1.22 m

Water Capacity (90%): 4,024 gal. (15,232 L)

Item #	Region	Pack	Res. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder
5613HE	US	1	128.8 (58.4)	58388 (1,000 gal./3,785 L)	110-120 V	58012, Type: III - A/C	58248	58336
5612Y	N. America / Asia, Africa & Latin America	1	127.8 (58.0)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	58248	58336
5612Y	Oceania	1	127.8 (58.0)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58336
5612X	Europe	1	132.5 (60.1)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58331
5612X	Asia, Africa & Latin America	1	126.0 (57.2)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58336

FEATURES & TECHNOLOGIES


CLICKCONNECT SYSTEM™

Corrosion Prevention

Simple to set up, the ClickConnect System ensures remarkable strength and durable frame connection - all with a protective coating that prevents damage.



BUILD



DURAPLUS™

Puncture-Resistant Liner

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



CONVENIENCE



PACKAGING

Full Color Box & Sturdy Cardboard Box with Pictures



STEEL PRO MAX™ 17



15 ft. x 42 in. / 4.57 m x 1.07 m

Water Capacity (90%): 3,955 gal. (14,970 L)



Item #	Region	Pack	Wt. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	NEW GEL
56687E	US	1	122.9 (55.8)	58388 (1,000 gal./3,785 L)	110-120 V	58012, Type: III - A/C	58038	58335	
56686	N. America / Asia, Africa & Latin America	1	121.7 (55.2)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	58038	58335	
56686	Oceania	1	121.7 (55.2)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58038	58335	
56488	Europe	1	123.9 (56.2)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58038	58335	
56488	Asia, Africa & Latin America	1	120.1 (54.5)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58038	58335	

15 ft. x 48 in. / 4.57 m x 1.22 m

Water Capacity (90%): 4,231 gal. (16,015 L)



Item #	Region	Pack	Wt. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	NEW GEL
56690E	US	1	136.7 (62.0)	58388 (1,000 gal./3,785 L)	110-120 V	58012, Type: III - A/C	58038	58336	
56439	N. America / Asia, Africa & Latin America	1	135.5 (61.5)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	58038	58336	
56439	Oceania	1	135.5 (61.5)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58038	58336	
56438	Europe	1	140.0 (63.5)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58038	58331	
56438	Asia, Africa & Latin America	1	133.9 (60.8)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58038	58336	

16 ft. x 48 in. / 4.88 m x 1.22 m

Water Capacity (90%): 5,145 gal. (19,480 L)



Item #	Region	Pack	Wt. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	NEW GEL
5613AE	US	1	153.9 (69.8)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58249	58336	
5613A	N. America / Asia, Africa & Latin America	1	153.6 (69.7)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58249	58336	
5613A	Oceania	1	153.6 (69.7)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58249	58336	
5612Z	Europe	1	160.5 (72.8)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58249	58331	
5612Z	Asia, Africa & Latin America	1	153.2 (69.5)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58249	58336	

18 ft. x 48 in. / 5.49 m x 1.22 m

Water Capacity (90%): 6,092 gal. (23,062 L)



Item #	Region	Pack	Wt. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	NEW GEL
56463E	US	1	172.1 (78.0)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58039	58336	
56463	N. America / Asia, Africa & Latin America	1	171.8 (77.9)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58039	58336	
56463	Oceania	1	171.8 (77.9)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58039	58336	
56462	Europe	1	178.1 (80.8)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58039	58331	
56462	Asia, Africa & Latin America	1	171.4 (77.8)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58039	58336	

FEATURES & TECHNOLOGIES

CLICKCONNECT SYSTEM™ Corrosion Prevention

Simple to set up, the ClickConnect System ensures remarkable strength and durable frame connection - all with a protective coating that prevents damage.



BUILD



DURAPLUS™ Puncture-Resistant Liner

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



CONVENIENCE



PACKAGING

Sturdy Cardboard Box with Pictures





POWER STEEL™


The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly makes a Bestway® Power Steel pool the smart choice for families.

PRODUCT MATRIX

NEW DES. STANDARD SERIES


RECTANGULAR

9 ft. x 6 ft. x 52 in. / 2.82 m x 1.96 m x 1.33 m PG. 34	13 ft. x 6 ft. x 52 in. / 4.04 m x 2.01 m x 1.33 m PG. 34	13 ft. x 6 ft. x 52 in. / 4.12 m x 2.01 m x 1.33 m PG. 34	16 ft. x 8 ft. x 48 in. / 4.88 m x 2.44 m x 1.22 m PG. 35	18 ft. x 9 ft. x 48 in. / 5.49 m x 2.74 m x 1.22 m PG. 35	21 ft. x 9 ft. x 52 in. / 6.40 m x 2.74 m x 1.32 m PG. 37	24 ft. x 12 ft. x 52 in. / 7.32 m x 3.66 m x 1.32 m PG. 37	31 ft. x 16 ft. x 52 in. / 9.56 m x 4.88 m x 1.32 m PG. 37
--	---	---	---	---	---	--	--



OVAL

10 ft. x 6 ft. x 52 in. / 3.05 m x 2.00 m x 1.33 m PG. 38	14 ft. x 8 ft. x 52 in. / 4.27 m x 2.50 m x 1.33 m PG. 38	16 ft. x 10 ft. x 42 in. / 4.88 m x 3.05 m x 1.07 m PG. 38	18 ft. x 9 ft. x 48 in. / 5.49 m x 2.74 m x 1.22 m PG. 39	20 ft. x 12 ft. x 48 in. / 6.10 m x 3.66 m x 1.22 m PG. 41	24 ft. x 12 ft. x 48 in. / 7.32 m x 3.66 m x 1.22 m PG. 41
---	---	--	---	--	--



SWIMVISTA SERIES™ II

ROUND

16 ft. x 48 in. / 4.88 m x 1.22 m PG. 43
--

NEW GEN.



OVAL

18 ft. x 48 in. / 5.49 m x 1.22 m PG. 43	14 ft. x 8 ft. x 52 in. / 4.27 m x 2.50 m x 1.33 m PG. 45	18 ft. x 9 ft. x 48 in. / 5.49 m x 2.74 m x 1.22 m PG. 45
--	---	---

NEW GEN.



COMFORT JET SERIES™

OVAL

20 ft. x 12 ft. x 48 in. / 6.10 m x 3.66 m x 1.22 m PG. 47
--



POWER STEEL™ RANGE



Standard Series

The Power Steel™ Standard Series pools are perfect for a summer full of fun in the sun. With lasting durability and minimal-tool assembly, these pools are the ultimate choice for families.



Swim Vista Series™ II

The Power Steel™ Swim Vista Series™ pools offer an incredibly unique swimming experience. With built-in portholes, kids can wave to onlookers while gliding by and parents can easily keep an eye on them as they swim underwater!



Comfort Jet Series™

The Power Steel™ Comfort Jet Series™ has two built-in nozzles that spray concentrated water jet streams for a soothing massage to provide users with the ideal combination of fun and relaxation.

PRODUCT HIGHLIGHTS



Tritech™

3-Layer Puncture Resistant Liner Material



Swim Vista

Built-in Portholes

Seal & Lock System™

Superior Steel Frame Design



ClickConnect System™

Corrosion Prevention; Quick-Click Technology for Easy Setup





9 ft. 3 in. x 6 ft. 5 in. x 33 in. /
2.82 m x 1.96 m x 84 cm

Water Capacity (90%): 967 gal. (3,662 L)

NEW
DES.

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	ChemConnect™ Dispenser
56631E	US	1	88.2 (40.0)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I	-
56631	N. America / Asia, Africa & Latin America	1	83.8 (38.0)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I	-
56631	Oceania	1	83.8 (38.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I	-
56629	Europe	1	83.8 (38.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I	-
56629	Asia, Africa & Latin America	1	83.8 (38.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I	-

13 ft. 3 in. x 6 ft. 7 in. x 39.5 in. /
4.04 m x 2.01 m x 1.00 m

Water Capacity (90%): 1,711 gal. (6,478 L)

NEW
DES.

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Ladder	ChemConnect™ Dispenser
56441	Europe	1	135.2 (61.3)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58330	-
56441	Asia, Africa & Latin America	1	133.2 (60.4)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58335	-
56440	N. America / Asia, Africa & Latin America	1	147.5 (66.9)	58516 (800 gal./3,028 L)	110-120 V	Sand Filtration	58335	-
56440	Oceania	1	147.5 (66.9)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58335	-
56442	Europe	1	149.9 (68.0)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58330	-
56442	Asia, Africa & Latin America	1	147.6 (67.0)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58335	-

13 ft. 6 in. x 6 ft. 7 in. x 48 in. /
4.12 m x 2.01 m x 1.22 m

Water Capacity (90%): 2,146 gal. (8,124 L)

NEW
DES.

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Ladder	ChemConnect™ Dispenser
56458E	US	1	160.7 (72.9)	58384 (530 gal./2,006 L)	110-120 V	58092, Type: III - A/C	58336	-
56458	N. America / Asia, Africa & Latin America	1	157.3 (71.3)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58336	-
56458	Oceania	1	157.3 (71.3)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58336	-
56456	Europe	1	162.0 (73.5)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58331	-
56456	Asia, Africa & Latin America	1	156.4 (70.9)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58336	-
56457	Europe	1	178.5 (81.0)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58331	-
56457	Asia, Africa & Latin America	1	172.2 (78.1)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58336	-

16 ft. x 8 ft. x 48 in. /
4.88 m x 2.44 m x 1.22 m

Water Capacity (90%): 3,046 gal. (11,532 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
56672	N. America / Asia, Africa & Latin America	1	201.9 (91.6)	58378 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	-	58336	-
56672	Oceania	1	201.9 (91.6)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	-	58336	-
56670	Europe	1	207.7 (94.2)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	-	58331	-
56670	Asia, Africa & Latin America	1	201.0 (91.2)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	-	58336	-
56673	N. America / Asia, Africa & Latin America	1	217.4 (98.6)	58516 (800 gal./3,028 L)	110-120 V	Sand Filtration	-	58336	-
56673	Oceania	1	217.4 (98.6)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	-	58336	-
56671	Europe	1	225.7 (102.5)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	-	58331	-
56671	Asia, Africa & Latin America	1	217.6 (98.7)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	-	58336	-

18 ft. x 9 ft. x 48 in. /
5.49 m x 2.74 m x 1.22 m

Water Capacity (90%): 3,913 gal. (14,812 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
56536E	US	1	224.4 (101.8)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	-	58336	-
56467	N. America / Asia, Africa & Latin America	1	225.4 (101.3)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	-	58336	-
56467	Oceania	1	225.4 (101.3)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	-	58336	-
56465	Europe	1	233.6 (105.9)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	-	58331	-
56465	Asia, Africa & Latin America	1	223.6 (101.4)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	-	58336	-
56468E	US	1	239.7 (108.7)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	-	58336	-
56468	N. America / Asia, Africa & Latin America	1	239.6 (108.7)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	-	58336	-
56468	Oceania	1	239.6 (108.7)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	-	58336	-
56466	Europe	1	247.8 (112.4)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	-	58331	-
56466	Asia, Africa & Latin America	1	243.1 (109.4)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	-	58336	-

FEATURES & TECHNOLOGIES

SEAL & LOCK SYSTEM™ Superior Steel Frame Design


Engineered for durability, the Seal & Lock System provides strength, corrosion-resistance, and remarkable durable frame connection for your pool.



BUILD



TRITECH™
3-layer
puncture-resistant
liner material



FROSTED FINISH
Prevents pool liner
from sticking in a
hot environment.



CHEMCONNECT™ DISPENSER
Dispenses 1 in. / 2.54 cm
chemical tablets.



CONVENIENCE



PACKAGING

Sturdy Cardboard
Box with Pictures





21 ft. x 9 ft. x 52 in. / 6.40 m x 2.74 m x 1.32 m

Water Capacity (90%): 5,094 gal. (19,281 L)



Item #	Region	Pack	Box (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser	NEW DES.
5611Z	Europe	1 Ea., 2 boxes	290.0 (131.5)	58589 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	-	58532	-	
5611Z	Asia, Africa & Latin America	1 Ea., 2 boxes	286.7 (130.1)	58589 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	-	58537	-	
5612AE	US	1 Ea., 2 boxes	305.4 (138.5)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	-	58537	-	
5612A	N. America / Asia, Africa & Latin America	1 Ea., 2 boxes	304.2 (138.0)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	-	58537	-	
5612A	Oceania	1 Ea., 2 boxes	304.2 (138.0)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	-	58537	-	
5612B	Europe	1 Ea., 2 boxes	308.7 (140.0)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	-	58532	-	
5612B	Asia, Africa & Latin America	1 Ea., 2 boxes	305.7 (138.6)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	-	58537	-	

24 ft. x 12 ft. x 52 in. / 7.32 m x 3.66 m x 1.32 m

Water Capacity (90%): 7,937 gal. (30,045 L)



Item #	Region	Pack	Box (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser	NEW DES.
56474	Europe	1 Ea., 2 boxes	378.4 (171.7)	58591 (2,500 gal./9,463 L)	220-240 V	58095, Type: IV - B	-	58532	-	
56474	Asia, Africa & Latin America	1 Ea., 2 boxes	371.9 (168.7)	58591 (2,500 gal./9,463 L)	220-240 V	58095, Type: IV - B	-	58537	-	
56477E	US	1 Ea., 2 boxes	375.0 (169.2)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	-	58537	-	
56477	N. America / Asia, Africa & Latin America	1 Ea., 2 boxes	375.0 (169.2)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	-	58537	-	
56477	Oceania	1 Ea., 2 boxes	375.0 (169.2)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	-	58537	-	
56475	Europe	1 Ea., 2 boxes	377.1 (171.3)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	-	58532	-	
56475	Asia, Africa & Latin America	1 Ea., 2 boxes	374.5 (169.9)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	-	58537	-	

31 ft. 4 in. x 16 ft. x 52 in. / 9.56 m x 4.88 m x 1.32 m

Water Capacity (90%): 13,798 gal. (52,231 L)



Item #	Region	Pack	Box (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser	NEW DES.
56625E	US	1 Ea., 2 boxes	491.2 (222.8)	58500 (2,200 gal./8,327 L)	110-120 V	Sand Filtration	-	58537	-	
56625	N. America / Asia, Africa & Latin America	1 Ea., 2 boxes	491.2 (222.8)	58500 (2,200 gal./8,327 L)	110-120 V	Sand Filtration	-	58537	-	
56625	Oceania	1 Ea., 2 boxes	491.2 (222.8)	58499 (2,200 gal./8,327 L)	220-240 V	Sand Filtration	-	58537	-	
56625	Europe	1 Ea., 2 boxes	494.9 (224.5)	58499 (2,200 gal./8,327 L)	220-240 V	Sand Filtration	-	58532	-	
56625	Asia, Africa & Latin America	1 Ea., 2 boxes	492.7 (221.5)	58499 (2,200 gal./8,327 L)	220-240 V	Sand Filtration	-	58537	-	

FEATURES & TECHNOLOGIES

SEAL & LOCK SYSTEM™ Superior Steel Frame Design


Engineered for durability, the Seal & Lock System provides strength, corrosion-resistance, and remarkable durable frame connection for your pool.




BUILD



TRITECH™
3-layer
puncture-resistant
liner material



FROSTED FINISH
Prevents pool liner
from sticking in a
hot environment



**CHEMCONNECT™
DISPENSER**
Dispenses 1 in. / 2.54 cm
chemical tablets



CONVENIENCE



PACKAGING

Sturdy Cardboard
Box with Pictures





10 ft. x 6 ft. 7 in. x 33 in. /
3.05 m x 2.00 m x 84 cm

Water Capacity (90%) 969 gal. (3,668 L)



Item #	Region	Pack	Wt. (kg)	Filter Pump	Voltage	Cartridge	ChemConnect™ Dispenser
5613ZL	US	1	89.4 (11.5)	58511 (530 gal./1,249 L)	110-120 V	58093, Type: I	-
5613Z	N. America / Asia, Africa & Latin America	1	89.2 (11.4)	58511 (530 gal./1,249 L)	110-120 V	58093, Type: I	-
5613Z	Oceania	1	89.2 (11.4)	58581 (530 gal./1,249 L)	220-240 V	58093, Type: I	-
5614A	Europe	1	89.7 (11.6)	58581 (530 gal./1,249 L)	220-240 V	58093, Type: I	-
5614A	Asia, Africa & Latin America	1	89.7 (11.6)	58581 (530 gal./1,249 L)	220-240 V	58093, Type: I	-

14 ft. x 8 ft. 2 in. x 39.5 in. /
4.27 m x 2.50 m x 1.00 m

Water Capacity (90%) 1,915 gal. (7,250 L)



Item #	Region	Pack	Wt. (kg)	Filter Pump	Voltage	Cartridge	Ladder	ChemConnect™ Dispenser
5662ZL	US	1	112.9 (51.2)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58335	-
5662Z	N. America / Asia, Africa & Latin America	1	111.5 (50.5)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58335	-
5662Z	Oceania	1	111.5 (50.5)	58385 (530 gal./2,006 L)	220-240 V	58094, Type: II	58335	-
56620	Europe	1	113.4 (51.5)	58385 (530 gal./2,006 L)	220-240 V	58094, Type: II	58330	-
56620	Asia, Africa & Latin America	1	110.6 (50.2)	58385 (530 gal./2,006 L)	220-240 V	58094, Type: II	58335	-

16 ft. x 10 ft. x 42 in. /
4.88 m x 3.05 m x 1.07 m

Water Capacity (90%) 2,893 gal. (10,949 L)



Item #	Region	Pack	Wt. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
5645ZL	US	1	149.2 (67.7)	58388 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	-	58335	-
56450	N. America / Asia, Africa & Latin America	1	146.6 (66.5)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	-	58335	-
56450	Oceania	1	146.6 (66.5)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	-	58335	-
56448	Europe	1	148.2 (67.2)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	-	58330	-
56448	Asia, Africa & Latin America	1	145.9 (66.2)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	-	58335	-

18 ft. x 9 ft. x 48 in. /
5.49 m x 2.74 m x 1.22 m

Water Capacity (90%) 3,548 gal. (13,430 L)



Item #	Region	Pack	Wt. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
5671ZL	US	1	187.9 (85.2)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	-	58336	-
56711	N. America / Asia, Africa & Latin America	1	186.8 (84.7)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	-	58336	-
56711	Oceania	1	186.8 (84.7)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	-	58336	-
56710	Europe	1	193.5 (87.7)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	-	58331	-
56710	Asia, Africa & Latin America	1	187.0 (84.8)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	-	58336	-



FEATURES & TECHNOLOGIES

SEAL & LOCK SYSTEM™ Superior Steel Frame Design


Engineered for durability, the Seal & Lock System provides strength, corrosion-resistance, and remarkable durable frame connection for your pool.



BUILD



TRITECH™
3-layer puncture-resistant liner material



FROSTED FINISH
Prevents pool liner from sticking in a hot environment.



CHEMCONNECT™ DISPENSER
Dispenses 1 in. / 2.54 cm chemical tablets



CONVENIENCE



PACKAGING

Sturdy Cardboard Box with Pictures





20 ft. x 12 ft. x 48 in. /
6.10 m x 3.66 m x 1.22 m

Water Capacity (90%): 5,347 gal. (20,241 L)



Item #	Region	Pack	Inv. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
5611SE	US	1	212.4 (96.4)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type III - A/C	-	58336	-
5611S	N. America / Asia, Africa & Latin America	1	211.4 (95.9)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type III - A/C	-	58336	-
5611S	Oceania	1	211.4 (95.9)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type III - A/C	-	58336	-
5611R	Europe	1	217.6 (98.7)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type III - A/C	-	58331	-
5611R	Asia, Africa & Latin America	1	211.9 (96.1)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type III - A/C	-	58336	-

24 ft. x 12 ft. x 48 in. /
7.32 m x 3.66 m x 1.22 m

Water Capacity (90%): 6,735 gal. (25,495 L)



Item #	Region	Pack	Inv. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
5611UE	US	1	278.4 (125.4)	58392 (2,500 gal./9,463 L)	110-120 V	58095, Type IV - B	-	58336	-
5611U	N. America / Asia, Africa & Latin America	1	275.4 (124.9)	58392 (2,500 gal./9,463 L)	110-120 V	58095, Type IV - B	-	58336	-
5611U	Oceania	1	275.4 (124.9)	58391 (2,500 gal./9,463 L)	220-240 V	58095, Type IV - B	-	58336	-
5611T	Europe	1	283.6 (128.6)	58391 (2,500 gal./9,463 L)	220-240 V	58095, Type IV - B	-	58331	-
5611T	Asia, Africa & Latin America	1	278.6 (126.4)	58391 (2,500 gal./9,463 L)	220-240 V	58095, Type IV - B	-	58336	-



FEATURES & TECHNOLOGIES

SEAL & LOCK SYSTEM™ Superior Steel Frame Design


Engineered for durability, the Seal & Lock System provides strength, corrosion-resistance, and remarkable durable frame connection for your pool.



BUILD



TRITECH™
3-layer puncture-resistant liner material



FROSTED FINISH
Prevents pool liner from sticking in a hot environment.



CHEMCONNECT™ DISPENSER
Dispenses 1 in./2.54 cm chemical tablets



CONVENIENCE



Drain Valve



Corrosion Resistant Steel Frame



3-Ply PVC Wall Support Band



T-Connector

PACKAGING

Sturdy Cardboard Box with Pictures





Swim Vista

Built-in pool portholes bring function and fun to Power Steel™ Swim Vista Series™ II pools. Peek inside of the pool or dive down for an underwater photo.

4 Swim Vista Portholes
16 ft. x 48 in. / 4.88 m x 1.22 m
 Water Capacity (90%): 5,145 gal. (19,480 L)



Item #	Region	Pack	Est. Bq/L	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser	NEW GEL
56726E	US	1	166.3 (75.4)	SR390 (1,500 gal./5,678 L)	110-120 V	SR012, Type: III - A/C	SR249	SR356	-	
56726	N. America / Asia, Africa & Latin America	1	166.3 (75.4)	SR390 (1,500 gal./5,678 L)	110-120 V	SR012, Type: III - A/C	SR249	SR356	-	
56726	Oceania	1	166.3 (75.4)	SR389 (1,500 gal./5,678 L)	220-240 V	SR012, Type: III - A/C	SR249	SR356	-	
56725	Europe	1	172.6 (78.3)	SR389 (1,500 gal./5,678 L)	220-240 V	SR012, Type: III - A/C	SR249	SR351	-	
56725	Asia, Africa & Latin America	1	166.6 (75.6)	SR389 (1,500 gal./5,678 L)	220-240 V	SR012, Type: III - A/C	SR249	SR356	-	

4 Swim Vista Portholes
18 ft. x 48 in. / 5.49 m x 1.22 m
 Water Capacity (90%): 6,092 gal. (23,062 L)



Item #	Region	Pack	Est. Bq/L	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser	NEW GEL
56976E	US	1	185.1 (84.0)	SR390 (1,500 gal./5,678 L)	110-120 V	SR012, Type: III - A/C	SR039	SR356	-	
56976	N. America / Asia, Africa & Latin America	1	185.1 (84.0)	SR390 (1,500 gal./5,678 L)	110-120 V	SR012, Type: III - A/C	SR039	SR356	-	
56976	Oceania	1	185.1 (84.0)	SR389 (1,500 gal./5,678 L)	220-240 V	SR012, Type: III - A/C	SR039	SR356	-	
56977	Europe	1	191.5 (86.9)	SR389 (1,500 gal./5,678 L)	220-240 V	SR012, Type: III - A/C	SR039	SR351	-	
56977	Asia, Africa & Latin America	1	185.5 (84.1)	SR389 (1,500 gal./5,678 L)	220-240 V	SR012, Type: III - A/C	SR039	SR356	-	



FEATURES & TECHNOLOGIES

CLICKCONNECT SYSTEM™ Corrosion Prevention

Simple to set up, the ClickConnect System ensures remarkable strength and durable frame connection - all with a protective coating that prevents damage.



BUILD



TRITECH™
 3-layer puncture-resistant liner material



CHEMCONNECT™ DISPENSER
 Dispenses 1 in. / 2.54 cm chemical tablets



CONVENIENCE



PACKAGING
 Sturdy Cardboard Box with Pictures





Bestway
Power Steel™
Swim Vista Series II

2 Swim Vista Portholes
 14 ft. x 8 ft. 2 in. x 39.5 in. /
 4.27 m x 2.50 m x 1.00 m

Water Capacity (90%) 1,915 gal (7,250 L)

Item #	Region	Pack	Wt. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
56715E	US	1	121.2 (55.0)	58384 (530 gal/2,006 L)	110-120 V	58012, Type: III - A/C	58425	58335	•
56715	N. America / Asia, Africa & Latin America	1	119.6 (54.2)	58384 (530 gal/2,006 L)	110-120 V	58012, Type: III - A/C	58425	58335	•
56715	Oceania	1	119.6 (54.2)	58383 (530 gal/2,006 L)	220-240 V	58094, Type: II	58425	58335	•
56714	Europe	1	121.8 (55.3)	58383 (530 gal/2,006 L)	220-240 V	58094, Type: II	58425	58330	•
56714	Asia, Africa & Latin America	1	118.7 (53.8)	58383 (530 gal/2,006 L)	220-240 V	58094, Type: II	58425	58335	•

4 Swim Vista Portholes
 18 ft. x 9 ft. x 48 in. /
 5.49 m x 2.74 m x 1.22 m

Water Capacity (90%) 3,548 gal (13,430 L)

Item #	Region	Pack	Wt. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
56717E	US	1	197.7 (89.7)	58390 (1,500 gal/5,678 L)	110-120 V	58012, Type: III - A/C	•	58336	•
56717	N. America / Asia, Africa & Latin America	1	196.7 (89.2)	58390 (1,500 gal/5,678 L)	110-120 V	58012, Type: III - A/C	•	58336	•
56717	Oceania	1	196.7 (89.2)	58389 (1,500 gal/5,678 L)	220-240 V	58012, Type: III - A/C	•	58336	•
56716	Europe	1	202.9 (92.0)	58389 (1,500 gal/5,678 L)	220-240 V	58012, Type: III - A/C	•	58331	•
56716	Asia, Africa & Latin America	1	196.9 (89.3)	58389 (1,500 gal/5,678 L)	220-240 V	58012, Type: III - A/C	•	58336	•

FEATURES & TECHNOLOGIES

SEAL & LOCK SYSTEM™

Superior Steel Frame Design
 Engineered for durability, the Seal & Lock System provides strength, corrosion-resistance, and remarkable durable frame connection for your pool.




BUILD



TRITECH™
 3-layer
 puncture-resistant
 liner material



FROSTED FINISH
 Prevents pool liner
 from sticking in a
 hot environment



**CHEMCONNECT™
 DISPENSER**
 Dispenses 1 in. / 2.54 cm
 chemical tablets



CONVENIENCE



Drain Valve



Corrosion
 Resistant
 Steel Frame



3-Ply PVC wall
 Support Band



T-Connector

PACKAGING

Sturdy Cardboard
 Box with Pictures





Built-In Spa Jets!

Two built-in massage nozzles with easy to use control station



Multi-Colored LED Light

20 ft. x 12 ft. x 48 in. / 6.10 m x 3.66 m x 1.22 m

Water Capacity (90%): 5,347 gal. (20,241 L)



Item #	Region	Pack	Wt. (kg)	Filter Pump	Voltage	Cartridge	Ladder	LED Light
56720E	US	1	225.6 (102.4)	58392 (2,500 gal./9,463 L)	110-120 V	S8095, Type: IV - B	58336	•
56720	N. America / Asia, Africa & Latin America	1	224.0 (101.6)	58392 (2,500 gal./9,463 L)	110-120 V	S8095, Type: IV - B	58336	•
56720	Oceania	1	224.0 (101.6)	58391 (2,500 gal./9,463 L)	220-240 V	S8095, Type: IV - B	58336	•
56719	Europe	1	230.5 (104.6)	58391 (2,500 gal./9,463 L)	220-240 V	S8095, Type: IV - B	58331	•
56719	Asia, Africa & Latin America	1	225.8 (102.4)	58391 (2,500 gal./9,463 L)	220-240 V	S8095, Type: IV - B	58336	•



FEATURES & TECHNOLOGIES

SEAL & LOCK SYSTEM™ Superior Steel Frame Design

Engineered for durability, the Seal & Lock System provides strength, corrosion-resistance, and remarkable durable frame connection for your pool.



BUILD



Pattern



Inner Liner




Hardware



TRITECH™
3-layer puncture-resistant liner material



FROSTED FINISH
Prevents pool liner from sticking in a hot environment.



LED LIGHT
Up to 7 changing colors



CONVENIENCE



Drain Valve



Corrosion Resistant Steel Frame



3-Ply PVC wall Support Band



T-Connector

PACKAGING

Sturdy Cardboard Box with Pictures





HYDRIUM™

This top-tier pool line features enhanced durability, quality and longevity. With superior galvanized steel construction, these pools can withstand the elements all year long, so they can even be used as a more fixed landscaping feature.

PRODUCT HIGHLIGHTS



Steel Sidewalls and Frame Support

Provides Unparalleled Durability and Damage Resistance



Prismatic Stone™ Inner Liner



Integrated Surface Skimmer






Year Round Pool

Protects Against the Elements



PRODUCT MATRIX

48 in. / 1.20 m				52 in. / 1.30 m NEW			
10 ft. x 48 in. / 3.00 m x 1.20 m PG. 51	12 ft. x 48 in. / 3.60 m x 1.20 m PG. 51	15 ft. x 48 in. / 4.60 m x 1.20 m PG. 51	16 ft. 5 in. x 12 ft. x 48 in. / 5.00 m x 3.60 m x 1.20 m PG. 53	20 ft. x 12 ft. x 48 in. / 6.10 m x 3.60 m x 1.20 m PG. 53	16 ft. x 52 in. / 4.90 m x 1.30 m PG. 55	18 ft. x 52 in. / 5.50 m x 1.30 m PG. 55	24 ft. x 12 ft. x 52 in. / 7.30 m x 3.60 m x 1.30 m PG. 55
							



10 ft. x 48 in. / 3.00 m x 1.20 m

Water Capacity (90%): 2,018 gal (7,630 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ground Cloth	Ladder	ChemConnect™ Dispenser
56566	Europe	1	224.2 (101.7)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58291	58001	58331	-

12 ft. x 48 in. / 3.60 m x 1.20 m

Water Capacity (90%): 2,906 gal (10,990 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ground Cloth	Ladder	ChemConnect™ Dispenser
56575	Oceania	1	249.8 (113.3)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58292	58002	58331	-
56574	Europe	1	249.8 (113.3)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58292	58002	58331	-

15 ft. x 48 in. / 4.60 m x 1.20 m

Water Capacity (90%): 4,605 gal (17,430 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ground Cloth	Ladder	ChemConnect™ Dispenser
56385E	US	1	319.7 (145.0)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	58249	58003	58336	-
56385	Oceania	1	319.7 (145.0)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	58249	58003	58331	-
56384	Europe	1	319.7 (145.0)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	58249	58003	58331	-



FEATURES & TECHNOLOGIES

YEAR-ROUND PROTECTION AGAINST THE ELEMENTS

Resistant to damage from scratches, abrasions and cracks 365 days a year



BUILD



BUILT-IN SKIMMER



CHEMCONNECT™ DISPENSER

Dispenses 1 in. / 2.54 cm chemical tablets



CONVENIENCE



PACKAGING

Sturdy Cardboard Box with Pictures





16 ft. 5 in. x 12 ft. x 48 in. /
5.00 m x 3.60 m x 1.20 m

Water Capacity (90%): 4,305 gal. (16,296 L)



Item #	Region	Pack	Lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ground Cloth	Ladder	ChemConnect™ Dispenser
56587E	US	1	384.3 (174.3)	58516 (800 gal./3,028 L)	110-120 V	Sand Filtration	•	•	58336	•
56587	Oceania	1	384.3 (174.3)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	•	•	58331	•
56586	Europe	1	384.3 (174.3)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	•	•	58331	•

20 ft. x 12 ft. x 48 in. /
6.10 m x 3.60 m x 1.20 m

Water Capacity (90%): 5,265 gal. (19,929 L)



Item #	Region	Pack	Lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ground Cloth	Ladder	ChemConnect™ Dispenser
56370E	US	1	462.1 (209.6)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	•	•	58336	•
56370	Oceania	1	462.1 (209.6)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	•	58331	•
56369	Europe	1	462.1 (209.6)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	•	58331	•



FEATURES & TECHNOLOGIES

YEAR-ROUND PROTECTION AGAINST THE ELEMENTS

Resistant to damage from scratches, abrasions and cracks 365 days a year



BUILD



BUILT-IN SKIMMER



CHEMCONNECT™ DISPENSER

Dispenses 1 in. / 2.54 cm chemical tablets



CONVENIENCE



PACKAGING

Sturdy Cardboard Box with Pictures





16 ft. x 52 in. / 4.90 m x 1.30 m

Water Capacity (90%): 5,678 gal. (21,490 L)



Item #	Region	Pack	Lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ground Cloth	Ladder	ChemConnect™ Dispenser	NEW
561CVE	US	1	456.8 (207.2)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	58039	•	58337	•	
561CV	Oceania	1	456.8 (207.2)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	58039	•	58332	•	
561CU	Europe	1	456.8 (207.2)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	58039	•	58332	•	

18 ft. x 52 in. / 5.50 m x 1.30 m

Water Capacity (90%): 7,192 gal. (27,221 L)



Item #	Region	Pack	Lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ground Cloth	Ladder	ChemConnect™ Dispenser	NEW
561CTE	US	1	501.3 (227.4)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	•	•	58337	•	
561CT	Oceania	1	501.3 (227.4)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	•	58332	•	
561CS	Europe	1	501.3 (227.4)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	•	58332	•	

24 ft. x 12 ft. x 52 in. / 7.30 m x 3.60 m x 1.30 m

Water Capacity (90%): 7,157 gal. (27,090 L)



Item #	Region	Pack	Lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ground Cloth	Ladder	ChemConnect™ Dispenser	NEW
561CXE	US	1	653.2 (296.3)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	•	•	58337	•	
561CX	Oceania	1	653.2 (296.3)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	•	58332	•	
561CW	Europe	1	653.2 (296.3)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	•	58332	•	



FEATURES & TECHNOLOGIES

YEAR-ROUND PROTECTION AGAINST THE ELEMENTS

Resistant to damage from scratches, abrasions and cracks 365 days a year



BUILD



BUILT-IN SKIMMER



CHEMCONNECT™ DISPENSER

Dispenses 1 in. / 2.54 cm chemical tablets



CONVENIENCE



PACKAGING

Sturdy Cardboard Box with Pictures





KIDDIE POOLS

Above ground pools are made for family fun! Easy to set up and constructed with durable materials, these pools ensure that the summer fun lasts all season long.

PRODUCT HIGHLIGHTS



UV Careful™
Safe, Shaded Fun
in the Sun™



Easy Setup



PRODUCT MATRIX

My First Play Pools			
56217/E PG. 58	56283 PG. 58	57241/E PG. 58	561CF/E PG. 59

NEW

Splash in Shade Pools	
5618S/E/5618T PG. 60	5654S/E/5643Z PG. 61

NEW DES.



My First Frame Pool

Water Capacity (90%): 153 gal. (580 L)

Item #	Size	Pack	Wt. (kg)	Packaging
56283	5 ft. x 15 in. / 1.52 m x 38 cm	6	58.4 (26.5)	Full color box

- Age: 2+
- Corrosion resistant metal frames
- Easy to set up and take down for off-season storage
- The round shape of the pool provides for easy installation, enhanced stability, and less wasted space due to the fact that the pool doesn't require lateral support
- Underwater adhesive repair patch



My First Frame Pool

Water Capacity (90%): 96 gal. (365 L)

Item #	Size	Pack	Wt. (kg)	Packaging
56217/E	48 in. x 48 in. x 12 in. / 1.22 m x 1.22 m x 30.5 cm	3	27.2 (12.4)	Full color box

- Age: 2+
- Easy set up
- Corrosion resistant metal frames
- Easy to take down for off-season storage
- Rectangular shape provides more area for swimming and playing
- Underwater adhesive repair patch



My First Fast Set™ Pool

Water Capacity (80%): 126 gal. (477 L)

Item #	Size	Pack	Wt. (kg)	Packaging
57241/E	5 ft. x 15 in. / 1.52 m x 38 cm	6	26.9 (12.2)	Full color box

- Age: 2+
- Easy set up
- Heavy-duty PVC and polyester 3-ply side walls
- Liner is supported by an inflatable top ring
- Select a level surface, inflate top ring and the pool will rise as it's filled with water
- Easy to take down for off-season storage
- Underwater adhesive repair patch



My First Frame Pool And Sandpit

Water Capacity (90%): 96 gal. (365 L) Sand Capacity (50%): 441 lbs. (200 kg)

Item #	Size	Pack	Wt. (kg)	Packaging
561CF/E	7 ft. x 48 in. x 12 in. / 2.13 m x 1.22 m x 30.5 cm	4	78.5 (35.6)	Full color box

- Age: 2+
- Walls constructed with DuraPlus™ material, which is reinforced with a polyester mesh core and two layers of high gauge PVC for superior strength and durability
- Corrosion resistant metal frames
- Easy to set up and take down for off-season storage
- Pool and sandpit combo gives kids two ways to play
- Rectangular shape provides more area for swimming and playing
- Underwater adhesive repair patch



NEW



Splash-In-Shade Play Pool

Water Capacity (90%): 246 gal. (930 L)

Item #	Region	Size	Pack	Net. (kg)	Packaging
5618SE	US				
5618S	North America	6 ft. x 20 in. / 1.83 m x 51 cm	1	20.4 (9.2)	Full color box
5618S	Oceania				
5618T	Europe				

- The pool walls are constructed with DuraPlus™, a material reinforced with a polyester mesh core and two layers of high gauge PVC for superior strength and durability
- FrameLink System™ - custom-molded T-connectors prevent metal-on-metal corrosion
- Outer wall features underwater world printing
- UPF 40+ rated sunshade
- Water mister on the top of shade attaches to garden hose
- Easy 20-minute setup
- Easy to disassemble when preparing for off-season storage
- Pool is equipped with fittings for compatibility with Flowclear™ filter pumps
- Built-in flow control drain valve makes it easy to drain by attaching the valve to a garden hose (with included adapter) to drain away water
- Round shape means easy installation, enhanced stability, less wasted space
- Underwater adhesive repair patch



Splash-In-Shade Play Pool

Water Capacity (90%): 446 gal. (1,688 L)

Item #	Region	Size	Pack	Net. (kg)	Packaging
56543E	US				
56543	North America	8 ft. x 20 in. / 2.44 m x 51 cm	1	29.5 (13.4)	Full color box
56543	Oceania				
56432	Europe				

NEW
DES.

- The pool walls are constructed with DuraPlus™, a material reinforced with a polyester mesh core and two layers of high gauge PVC for superior strength and durability
- FrameLink System™ - custom-molded T-connectors prevent metal-on-metal corrosion
- Outer wall with tropical leaf printing
- UPF 40+ Rated
- Water mister on the top of shade attaches to garden hose
- Easy 20-minute setup
- Easy to disassemble when preparing for off-season storage
- Built-in flow control drain valve makes it easy to drain by attaching the valve to a garden hose (with included adapter) to drain away water
- Pool is equipped with fittings for compatibility with Flowclear™ filter pumps
- Round shape means easy installation, enhanced stability, less wasted space
- Underwater adhesive repair patch





FLOWCLEAR™

Flowclear™ offers a range of pool products to help you manage the maintenance and cleaning of your pool while enhancing the ambiance. They help customers with the wide range of pool owner responsibilities, while helping them enjoy their product for as long as possible.

PLANOGRAM

Actual in-store displays may vary.

US DISPLAY



INTL DISPLAY



FILTRATION
Flowclear filter pumps and sand filter pumps come in many different sizes to give each pool owner the options they need to keep their pools sparkling clean.



ENVIRONMENT
From lights to fountains, Flowclear environment items add to the ambiance around the pool. Each unique item is sure to up the wow-factor.



MAINTENANCE EQUIPMENT
A wide variety of items - from pool vacuums to skimming nets - help pool owners maintain crystal clear water by removing floating debris.



POOL COVERS & GROUND CLOTHS
Protect the pool and the yard with Flowclear items made specifically for covering the water and the grass.

POOL PUMP RANGE

Item	58511/E	58381	58384/E	58383	58387	58386	58388E	58647/E	58675	58390/E	58389	58614E	58680	58671E	58392/E	58391
Product Photo																
Hose Size	1.25 in. / 3.2 cm		1.25 in. / 3.2 cm		1.25 in. / 3.2 cm		1.25 in. / 3.2 cm		1.5 in. / 3.8 cm		1.5 in. / 3.8 cm		1.5 in. / 3.8 cm		1.5 in. / 3.8 cm	
Adapters Included									1.5 / 1.25 in. / 3.8 / 3.2 cm		1.5 / 1.25 in. / 3.8 / 3.2 cm		1.5 / 1.25 in. / 3.8 / 3.2 cm		1.5 / 1.25 in. / 3.8 / 3.2 cm	
Filter Cartridge Or Sand Grains/ Polysphere™	58093 (II)		58012 (III-A/C) 58094 (III)		58012 (III-A/C) 58094 (III)		58012 (III-A/C)		58012 (III-A/C)		58012 (III-A/C)		58095 (IV-B)		58095 (IV-B)	
Pump Flow Rate Gal. (L) / Hour	330 (1,249)		530 (2,006)		800 (3,028)		1,000 (3,785)		1,500 (5,678)		1,500 (5,678)		2,000 (7,570)		2,500 (9,463)	
System Flow Rate Gal. (L) / Hour	280 (1,060)		480 (1,817)		580 (2,195)		780 (2,952)		1,050 (3,974)		1,050 (3,974)		1,500 (5,678)		2,050 (7,760)	
Pool Compatibility	For use with 300-2,200 gal. (1,100-8,300L) pools		For use with 300-3,800 gal. (1,100-14,300L) pools		For use with 300-4,600 gal. (1,100-17,400L) pools		For use with 300-5,100 gal. (1,100-19,300L) pools		For use with 300-8,400 gal. (1,100-31,700L) pools		For use with 300-8,400 gal. (1,100-31,700L) pools		For use with 300-12,000 gal. (1,100-45,424L) pools		For use with 300-16,400 gal. (1,100-62,000L) pools	
Rating	110-120V~, 0.2A	220-240V~, 16W	110-120V~, 0.6A	220-240V~, 29W	110-120V~, 0.6A	220-240V~, 32W	110-120V~, 1.1A		110-120V~, 1.8A	220-240V~, 86W	110-120V~, 1.8A	220-240V~, 86W	110-120V~, 1.45A	220-240V~, 110W	110-120V~, 3.3A	

Item	58516/E	58515	58515GS	58498/E	58497	58497GS	58500/E	58499	58499GS	58692/E	58486	58486GS
Product Photo												
Hose Size	1.25 in. / 3.2 cm			1.5 in. / 3.8 cm			1.5 in. / 3.8 cm			1.5 in. / 3.8 cm		
Adapters Included				1.5 / 1.25 in. (3.8 / 3.2 cm)			1.5 / 1.25 in. (3.8 / 3.2 cm)			1.5 / 1.25 in. (3.8 / 3.2 cm)		
Filter Cartridge Or Sand Grains/ Polysphere™	Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 8.5 kg. Polysphere™ compatible			Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 9 kg. Polysphere™ compatible			Required sand size: #20 silica sand, 0.45-0.85 mm, approx. 36 kg. Polysphere™ compatible			Required sand size: #20 silica sand, 0.45-0.85 mm, approx. 20 kg. Polysphere™ compatible		
Pump Flow Rate Gal. (L) / Hour	800 (3,028)			1,500 (5,678)			2,200 (8,327)			3,000 (11,355)		
System Flow Rate Gal. (L) / Hour	600 (2,271)		550 (2,082)		1,400 (5,300)		1,300 (4,920)		1,800 (6,813)		1,700 (6,435)	
Pool Compatibility	For use with 300-4,800 gal. (1,100-18,100L) pools			For use with 300-4,400 gal. (1,100-16,600L) pools			For use with 300-11,200 gal. (1,100-42,300L) pools			For use with 300-10,400 gal. (1,100-39,300L) pools		
Rating	110-120V~, 1A			220-240V~, 85W			110-120V~, 3.2A			220-240V~, 230W		
							110-120V~, 3.5A			220-240V~, 280W		
										110-120V~, 4.8A		
										220-240V~, 500W		

A LOOK AT THE BUILD OF BESTWAY FILTERS

Sand Filter Pumps

Bestway sand filters are truly a "no fuss" option. More efficient than filter pumps, a properly operated sand filter requires little maintenance, with a charge of sand lasting for at least a season. The models in the range cover a broad spectrum of applications and are compatible with almost all pools in the market. They all feature a built-in pre-filter to catch larger debris and safeguard against clogging. Four of the filters have a convenient pump-mounted switch. You can recommend Bestway sand filters with confidence.



Cartridge Filter Pumps

Leave the dirty work to Bestway® Flowclear™ filter pumps. Two hoses are included with each pump, and are attached at two separate points on the swimming pool. The loose end of one hose is connected to the filter pump. Water is pumped out of the pool and through the hose, before being sanitized by the filter cartridge and pumped back through the other hose. It then begins the process all over again, providing clean, clear and hygienic water.





NEW GEN.

Sand Filter - 800 Gal. (3,028 L)

Item #	Certification	Rating	Tank Dia. in. (cm)	Pack	Res. (kg)
58515	CE	220-240V-, 85W	10.5 (27)	1	16.3 (7.4)
58515GS	CE/GS	220-240V-, 85W	10.5 (27)	1	17.9 (8.1)
58516	C-ETL	110-120V-, 1A	10.5 (27)	1	17.0 (7.7)
58516E	ETL-US	110-120V-, 1A	10.5 (27)	1	17.2 (7.8)

Item #	Sand Capacity (kg)	Polysphere Capacity Res. (kg)
58515	18.7 (8.5)	0.53 (240)
58515GS	18.7 (8.5)	0.53 (240)
58516	18.7 (8.5)	0.53 (240)
58516E	18.7 (8.5)	0.53 (240)

Pump Flow Rate: 800 gal./h (3,028 L/h)
 System Flow Rate: 600 gal./h (2,271 L/h)
 System Flow Rate: 550 gal./h (2,082 L/h) (For GS only)
Pool Compatibility: For use with 300-4,800 gal. (1,100-18,100 L) pools
Pool Compatibility: For use with 300-4,400 gal. (1,100-16,600 L) pools (For GS only)

- Durable, corrosion-resistant filter tank
- 6-position valve allows for easy filter control
- Top flange clamp allows 360° rotation for quick and smooth installation
- Easy-to-read pressure gauge
- Included ChemConnect™ Dispenser maintains and provides clean, healthy pool water. Dispenser provides a stable level of chlorine needed for proper chemical balance
- Includes a strainer for separating leaves and other rough debris
- This product is preassembled for added convenience
- Recommended hose size for this product is a diameter 1.25 in. / 3.2 cm with proper thread size
- This product works with normal sand convention or with our highly efficient Polysphere™ product
- Sand not included
- Full Color Box



NEW GEN.

Sand Filter - 1,500 Gal. (5,678 L)

Item #	Certification	Rating	Tank Dia. in. (cm)	Pack	Res. (kg)
58497	CE	220-240V-, 230W	10 (25.4)	1	25.8 (11.7)
58497GS	CE/GS	220-240V-, 230W	15 (38.5)	1	31.7 (14.4)
58498	C-ETL	110-120V-, 3.2A	10 (25.4)	1	25.6 (11.6)
58498E	ETL-US	110-120V-, 3.2A	10 (25.4)	1	25.8 (11.7)

Item #	Sand Capacity (kg)	Polysphere Capacity Res. (kg)
58497	19.8 (9.0)	0.55 (250)
58497GS	79.4 (36.0)	2.20 (1,000)
58498	19.8 (9.0)	0.55 (250)
58498E	19.8 (9.0)	0.55 (250)

Pump Flow Rate: 1,500 gal./h (5,678 L/h)
 System Flow Rate: 1,400 gal./h (5,300 L/h)
 System Flow Rate: 1,300 gal./h (4,920 L/h) (For GS only)
Pool Compatibility: For use with 300-11,200 gal. (1,100-42,300 L) pools
Pool Compatibility: For use with 300-10,400 gal. (1,100-39,300 L) pools (For GS only)

- Durable, corrosion-resistant filter tank
- 6-position valve allows for easy filter control
- Built-in timer lets you set an automated working period (For 58497/GS only)
- Top flange clamp design allows 360° rotation for quick and smooth installation
- Easy-to-read pressure gauge
- Included ChemConnect™ Dispenser provides a stable level of chlorine to maintain clean, healthy pool water and proper chemical balance
- Pre-filter strainer basket catches larger particles such as leaves, hair and dirt to protect the pump impeller, increase pump longevity and allow it to run smoother
- Preassembled for added convenience
- Compatible with 1.25 in. / 3.2 cm valves using included adaptors
- Can be connected to 1.5 in. / 3.8 cm threaded valves
- Works with normal sand or with our highly efficient Polysphere™ filtration balls
- Compatible with most above ground pools
- Sand not included
- Full Color Box



NEW GEN.

Sand Filter - 2,200 Gal. (8,327 L)

Item #	Certification	Rating	Tank Dia. in. (cm)	Pack	Res. (kg)
58499	CE	220-240V-, 280W	12.5 (32)	1	30.4 (13.8)
58499GS	CE/GS	220-240V-, 280W	16.6 (42.2)	1	36.2 (16.4)
58500	C-ETL	110-120V-, 3.5A	12.5 (32)	1	30.4 (13.8)
58500E	ETL-US	110-120V-, 3.5A	12.5 (32)	1	30.6 (13.9)

Item #	Sand Capacity (kg)	Polysphere Capacity Res. (kg)
58499	44.1 (20.0)	1.23 (560)
58499GS	99.2 (45.0)	2.78 (1,260)
58500	44.1 (20.0)	1.23 (560)
58500E	44.1 (20.0)	1.23 (560)

Pump Flow Rate: 2,200 gal./h (8,327 L/h)
 System Flow Rate: 1,800 gal./h (6,813 L/h)
 System Flow Rate: 1,700 gal./h (6,453 L/h) (For GS only)
Pool Compatibility: For use with 300-14,400 gal. (1,100-54,500 L) pools
Pool Compatibility: For use with 300-13,600 gal. (1,100-51,400 L) pools (For GS only)

- Durable, corrosion-resistant filter tank
- 6-position valve allows for easy filter control
- Built-in timer lets you set an automated working period (For 58499/GS only)
- Top flange clamp design allows 360° rotation for quick and smooth installation
- Easy-to-read pressure gauge
- Included ChemConnect™ Dispenser maintains and provides clean, healthy pool water. Dispenser provides a stable level of chlorine needed for proper chemical balance
- The pre-filter strainer basket is an added mechanism that filters to catch larger particles such as leaves, hairs and dirt. Protects your pump impeller and longevity of your pump to continuously run smoother
- This product is preassembled for added convenience
- Compatible with 1.25 in. / 3.2 cm valves using included adaptors
- Can be connected to 1.5 in. / 3.8 cm threaded valves
- This product works with normal sand convention or with our highly efficient Polysphere™ product
- Compatible with most above ground pools
- Sand not included
- Full Color Box



NEW GEN.

Sand Filter - 3,000 Gal. (11,355 L)

Item #	Certification	Rating	Tank Dia. in. (cm)	Pack	Res. (kg)
58486	CE	220-240V-, 500W	15 (38.5)	1	36.8 (16.7)
58486GS	CE/GS	220-240V-, 500W	19 (48.5)	1	43.9 (19.9)
58692	C-ETL	110-120V-, 4.8A	15 (38.5)	1	36.2 (16.4)
58692E	ETL-US	110-120V-, 4.8A	15 (38.5)	1	36.4 (16.5)

Item #	Sand Capacity (kg)	Polysphere Capacity Res. (kg)
58486	79.4 (36.0)	2.20 (1,000)
58486GS	121.3 (55.0)	3.40 (1,540)
58692	79.4 (36.0)	2.20 (1,000)
58692E	79.4 (36.0)	2.20 (1,000)

Pump Flow Rate: 3,000 gal./h (11,355 L/h)
 System Flow Rate: 2,200 gal./h (8,327 L/h)
 System Flow Rate: 2,000 gal./h (7,570 L/h) (For GS only)
Pool Compatibility: For use with 300-17,600 gal. (1,100-66,600 L) pools
Pool Compatibility: For use with 300-16,000 gal. (1,100-60,500 L) pools (For GS only)

- Durable, corrosion-resistant filter tank
- 6-position valve allows for easy filter control
- Built-in timer lets you set an automated working period
- Top flange clamp design allows 360° rotation for quick and smooth installation
- Easy-to-read pressure gauge
- Included ChemConnect™ Dispenser maintains and provides clean, healthy pool water. Dispenser provides a stable level of chlorine needed for proper chemical balance
- The pre-filter strainer basket is an added mechanism that filters to catch larger particles such as leaves, hairs and dirt. Protects your pump impeller and longevity of your pump to continuously run smoother
- This product is preassembled for added convenience
- Compatible with 1.25 in. / 3.2 cm valves using included adaptors
- Can be connected to 1.5 in. / 3.8 cm threaded valves
- This product works with normal sand convention or with our highly efficient Polysphere™ product
- Compatible with most above ground pools
- Sand not included
- Full Color Box



Polysphere™

Item #	Pack	Res. (kg)	Packaging
58475/E	6	12.5 (5.7)	Full Color Box
30014/E	1	28.0 (12.7) 27.4 (12.4)	Display Shelf

- Material: 100% PET
- Suitable for all existing sand filters in the Bestway® range
- Lowest pressure increase in comparison to sand
- 1.10 lbs (500 g) of Flowclear™ Polysphere is equal to 39.68 lbs (18 kg) of sand
- Easy to carry, manipulate, and transport
- Low weight for easy handling
- Excellent filtration result and efficiency
- Product has a long life
- Easy to wash by hand
- Back washing function by Bestway® sand filter not applicable
- Easy disposal, non-toxic

Sand Filter	Region	Weight if using sand, Res. (kg)	Weight if using Polysphere, Res. (kg)
800 gal./h (3,028 L/h)	All	18.74 (8.5)	0.53 (240)
1,500 gal./h (5,678 L/h)	Except GS	19.84 (9)	0.55 (250)
1,500 gal./h (5,678 L/h)	GS	79.37 (36)	2.20 (1,000)
2,200 gal./h (8,327 L/h)	Except GS	44.09 (20)	1.23 (560)
2,200 gal./h (8,327 L/h)	GS	99.21 (45)	2.78 (1,260)
3,000 gal./h (11,355 L/h)	Except GS	79.37 (36)	2.20 (1,000)
3,000 gal./h (11,355 L/h)	GS	121.25 (55)	3.40 (1,540)

12 Ea. Included

58475 Full Color Box



58475E Full Color Box



APP CONTROLLED WI-FI FILTER PUMP

BESTWAY SMART HUB™ APP | CONTROL AT YOUR FINGERTIPS



ON/OFF Switch



SET TIMER (10 Hour Max)




MAINTENANCE STATUS
Low Flow Rate & Filter Cleaning/
Replacement Indicator



SMART TOUCH WI-FI FILTER PUMP

Item #	Pump Flow Rate Gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs. (kg)	Filter Cartridge
58614E	2,000 (7,570)	1,500 (5,678)	For use with 300-12,000 gal. (1,100-45,424 L) pools	ETL-US	110-120V~, 1.45A	1	25.1 (10.5)	58095 - Type IV
NEW 58680	2,000 (7,570)	1,500 (5,678)	For use with 300-12,000 gal. (1,100-45,424 L) pools	CE	220-240V~, 110W	1	22.0 (10.0)	58095 - Type IV

- Pump's water flow rate (pump capacity): 2,000 gal./h (7,570 L/h)
- Integrated pool system water flow rate (system flow rate): 1,500 gal./h (5,678 L/h)
- Built-in Wi-Fi modules controlled by the Bestway Smart Hub™ App
- Compatible with 1.25 in. / 3.2 cm valves using included adaptors
- Can be connected to 1.5 in. / 3.8 cm threaded valves





Filter Pump - 330 Gal. (1,249 L)



Item #	Pump Flow Rate Gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs. (kg)	Filter Cartridge
58511E	330 (1,249)	280 (1,060)	For use with 300-2,200 gal. (1,100-8,300 L) pools	ETL-US	110-120V-, 0.2A	4	25.0 (11.3)	58093 - Type I
58511	330 (1,249)	280 (1,060)		C-ETL	110-120V-, 0.2A	4	24.7 (11.2)	58093 - Type I
58381	330 (1,249)	280 (1,060)		CE	220-240V-, 16W	4	25.1 (11.4)	58093 - Type I

Filter Pump - 530 Gal. (2,006 L)



Item #	Pump Flow Rate Gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs. (kg)	Filter Cartridge
58384E	530 (2,006)	480 (1,817)	For use with 300-3,800 gal. (1,100-14,300 L) pools	ETL-US	110-120V-, 0.6A	4	32.9 (14.9)	58012 - Type III - A/C
58384	530 (2,006)	480 (1,817)		C-ETL	110-120V-, 0.6A	4	32.0 (14.5)	58012 - Type III - A/C
58383	530 (2,006)	480 (1,817)		CE	220-240V-, 29W	4	29.4 (13.3)	58094 - Type II

Filter Pump - 800 Gal. (3,028 L)



Item #	Pump Flow Rate Gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs. (kg)	Filter Cartridge
58386	800 (3,028)	580 (2,195)	For use with 300-4,600 gal. (1,100-17,400 L) pools	CE	220-240V-, 32W	4	30.8 (14.0)	58094 - Type II
58387	800 (3,028)	580 (2,195)		C-ETL	110-120V-, 0.6A	4	31.5 (14.3)	58012 - Type III - A/C

Filter Pump - 1,000 Gal. (3,785 L)



Item #	Pump Flow Rate Gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs. (kg)	Filter Cartridge
58388E	1,000 (3,785)	780 (2,952)	For use with 300-5,100 gal. (1,100-19,300 L) pools	ETL-US	110-120V-, 1.1A	4	38.1 (17.3)	58012 - Type III - A/C

Transparent Filter Pump - 1,500 Gal. (5,678 L)



Item #	Pump Flow Rate Gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs. (kg)	Filter Cartridge
58647E	1,500 (5,678)	1,050 (3,974)	For use with 300-8,400 gal. (1,100-31,700 L) pools	ETL-US	110-120V-, 1.8A	1	14.3 (6.5)	58012 - Type III - A/C
58647	1,500 (5,678)	1,050 (3,974)		C-ETL	110-120V-, 1.8A	1	14.0 (6.4)	58012 - Type III - A/C
58675	1,500 (5,678)	1,050 (3,974)		CE	220-240V-, 86W	1	14.1 (6.4)	58012 - Type III - A/C

Filter Pump - 1,500 Gal. (5,678 L)



Item #	Pump Flow Rate Gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs. (kg)	Filter Cartridge
58390E	1,500 (5,678)	1,050 (3,974)	For use with 300-8,400 gal. (1,100-31,700 L) pools	ETL-US	110-120V-, 1.8A	1	14.2 (6.4)	58012 - Type III - A/C
58390	1,500 (5,678)	1,050 (3,974)		C-ETL	110-120V-, 1.8A	1	14.0 (6.3)	58012 - Type III - A/C
58389	1,500 (5,678)	1,050 (3,974)		CE	220-240V-, 86W	1	14.1 (6.4)	58012 - Type III - A/C

Transparent Filter Pump - 2,500 Gal. (9,463 L)



Item #	Pump Flow Rate Gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs. (kg)	Filter Cartridge
58671E	2,500 (9,463)	2,050 (7,760)	For use with 300-16,400 gal. (1,100-62,000 L) pools	ETL-US	110-120V-, 3.3A	1	24.7 (11.2)	58095 - Type IV - B

Filter Pump - 2,500 Gal. (9,463 L)



Item #	Pump Flow Rate Gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs. (kg)	Filter Cartridge
58392E	2,500 (9,463)	2,050 (7,760)	For use with 300-16,400 gal. (1,100-62,000 L) pools	ETL-US	110-120V-, 3.3A	1	24.7 (11.2)	58095 - Type IV - B
58392	2,500 (9,463)	2,050 (7,760)		C-ETL	110-120V-, 3.3A	1	24.4 (11.1)	58095 - Type IV - B
58391	2,500 (9,463)	2,050 (7,760)		CE	220-240V-, 350W	1	24.5 (11.1)	58095 - Type IV - B



**Transparent
Body**



Skimatic™ Filter Pump

Item #	Pump Flow Rate Gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	Ibs. (kg)	Filter Cartridge
58463E	680 (2,574)	680 (2,574)	For use with 300-5,400 gal. (1,100-20,500 L) pools	ETL-US	110-120V-, 0.75A	1	17.6 (8.0)	S8012 - Type III - A/C
58463	680 (2,574)	680 (2,574)		C-ETL	110-120V-, 0.75A	1	17.4 (7.9)	S8012 - Type III - A/C
58462	680 (2,574)	680 (2,574)		CE / GS	220-240V-, 48W	1	17.5 (7.9)	S8012 - Type III - A/C
Item #	Pump Flow Rate Gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	Ibs. (kg)	Filter Cartridge
58470E	1,050 (3,974)	1,050 (3,974)	For use with 300-8,400 gal. (1,100-31,700 L) pools	ETL-US	110-120V-, 1.4A	1	22.0 (10.0)	S8012 - Type III - A/C
58470	1,050 (3,974)	1,050 (3,974)		C-ETL	110-120V-, 1.4A	1	21.8 (9.9)	S8012 - Type III - A/C
58469	1,050 (3,974)	1,050 (3,974)		CE / GS	220-240V-, 73W	1	21.4 (9.7)	S8012 - Type III - A/C

- Large capacity tank sucks in floating leaves and other debris
- Not compatible with steel wall pools
- Easy installation
- No additional hoses or adaptors needed
- Automatic filtration and cleaning
- Uses S8012 filter cartridge III
- Works quietly
- For use only with battery powered and manual pool cleaning appliances
- Connected by self-contained 1.2 in. / 32 mm connector, can work in conjunction with Bestway® S8212 and S8234 Pool Cleaning Kit



AquaLite™ Comb Filter Cartridge Cleaning Tool

Item #	Pack	Ibs. (kg)	Packaging
58662/E	12	8.4 (3.8)	Clam Shell

- Comb head designed to fit inside the deep folds of filtration paper to fully clean the filter cartridge
- Concentrated stream of water removes more particles in less time than a standard garden hose
- Extends lifespan of the filter pump and cartridge
- Flow control knob to turn on/off and adjust water flow
- Easily connects to garden hose through quick connection valve
- Suitable for different types of cartridges



Filter Cartridges

Item	S8093/E	S8094	S8012/E	S8095/E
Product Photo				
	Twin Pack	Twin Pack		
Size	Ø3.1 in. x H3.5 in. (Ø8 cm x H9 cm)	Ø4.2 in. x H5.4 in. (Ø10.6 cm x H13.6 cm)	Ø4.2 in. x H8.0 in. (Ø10.6 cm x H20.3 cm)	Ø5.6 in. x H10.0 in. (Ø14.2 cm x H25.4 cm)
Pump Type	330 gal. (1,249 L)	530 / 800 gal. (2,006 / 3,028 L) (220-240 V-)	530 - 1,500 gal. (2,006 - 5,678 L) (110-120 V-) 1,500 gal. (5,678 L) (220-240 V-)	2,500 gal. (9,463 L)
Pack	12	12	12	6
Ibs. (kg)	3.9 (1.8)	6.7 (3.0)	4.8 (2.2)	5.3 (2.4)
Packaging	Shrink wrapped with insert card	Shrink wrapped with insert card	Shrink wrapped with insert card	Shrink wrapped with insert card

Hose

Item #	Size	Pack	Ibs. (kg)	Packaging
58368	9.8 ft. / 3 m long, 1.5 in. / 3.8 cm diameter	6	15.5 (7.0)	Full Color Box

- Suitable for filter pumps and sand filters that use 1.5 in. / 3.8 cm hoses



Hose

Item #	Size	Pack	Ibs. (kg)	Packaging
58369	9.8 ft. / 3 m long, 1.25 in. / 3.2 cm diameter	12	16.7 (7.6)	Full Color Box

- Suitable for filter pumps, sand filters and heaters that use 1.25 in. / 3.2 cm hoses



Hose

Item #	Size	Pack	Ibs. (kg)	Packaging
58703/E	30 ft. / 9.00 m long, 1.5 in. / 38 mm diameter	4	22.5 (10.2)	Shrink Wrapped with Insert Card

- Compatible with most pools
- Vacuum hose with length of 30 ft. / 9.00 m, diameter of 1.5 in. / 38 mm
- 1 rotatable end that connects to vacuum heads

NEW



Hose Adaptors

Item #	Pack	Ibs. (kg)	Packaging
58236/E	12	4.5 (2.0)	Blister Card

- Made from durable, corrosion-proof materials
- This adaptor connects hoses (Diameter 3.8 cm) to pool valves (Diameter 3.2 cm)
- Easy to install
- Instructional manual included!





SolarFlow™ 2.1 gal. (8 L) Outdoor Shower

NEW

Item #	Size	Water Reservoir, gal. (L)	Pack	Wt. (kg)	Packaging
58694/E	19.6 in. x 19.6 in. x 85.8 in. / 50 cm x 50 cm x 2.18 m	2.1 (8)	1	17.7 (8.0)	Full Color Box

- Black 2.1 gal. (8 L) shower reservoir allows the sun to heat the water
- Easy to install with included base or can be mounted to most surfaces
- Large base provides stability
- Fixed oversized shower head
- Adjustable water flow and temperature handle
- Quick connector for easy connection to garden hose (hose not included)



SolarFlow™ 5.2 gal. (20 L) Outdoor Shower

NEW

Item #	Size	Water Reservoir, gal. (L)	Pack	Wt. (kg)	Packaging
58695/E	23.6 in. x 23.6 in. x 85.8 in. / 60 cm x 60 cm x 2.18 m	5.2 (20)	1	28.2 (12.8)	Full Color Box

- Black 5.2 gal. (20 L) shower reservoir allows the sun to heat the water
- Easy to install with included base or can be mounted to most surfaces
- Large base provides stability
- Adjustable shower head can be fixed or handheld and has multiple spray settings
- Adjustable water flow and temperature handle
- Quick connector for easy connection to garden hose (hose not included)



SolarFlow™ 9.2 gal. (35 L) Outdoor Shower

NEW

Item #	Size	Water Reservoir, gal. (L)	Pack	Wt. (kg)	Packaging
58696/E	23.6 in. x 23.6 in. x 85.8 in. / 60 cm x 60 cm x 2.18 m	9.2 (35)	1	35.9 (16.3)	Full Color Box

- Black & gray 9.2 gal. (35 L) shower reservoir allows the sun to heat the water
- Easy to install with included base or can be mounted to most surfaces
- Large base provides stability
- Adjustable shower head can be fixed or handheld and has multiple spray settings
- Adjustable water flow and temperature handle
- Convenient soap tray
- Quick connector for easy connection to garden hose (hose not included)






**Detachable
LED Light!**

Soothing LED Waterfall

Item #	Size	Pcs.	Box Dim.	Packaging
58619/E	13.6 in. x 9.5 in. x 12.6 in. / 34.5 cm x 24 cm x 32 cm	3	18.7 (8.5)	Full Color Box

- Quick and easy installation
- Compatible with all filtration systems with 530 - 3,000 gal. / h. (2,006 - 11,355 L / h) flow rate
- Serene waterfall maintains continuous flow
- Detachable LED light with:
 - 8 modes (7 fixed colors and 1 rotating)
 - 2-hour auto power off
 - Powered by 3 x AA batteries (batteries not included)
- IP67 water proof rating: second highest rating!





Shoots Up To
3 ft. / 1 m High!

LED Floating Pool Light

Item #	Size	Pack	Wt. (kg)	Packaging
58419/E	Ø5.5 in. / Ø14 cm	12	9.9 (4.5) 9.5 (4.3)	Full Color Box

- Beautiful display: super bright LED light alternates between 4 colors (yellow, red, blue and green) in 7 different patterns
- Easy to operate: simply press the button on the top of the light
- No wiring or outside electrical power required
- Zero operation and maintenance cost
- Powered by 3AA Batteries (not included)
- IP68 waterproof
- Light range has a diameter of 8 ft. / 2.43 m wide and 5 ft. / 1.52 m deep
- Power saving: shuts off automatically after one hour when not in use



Solar-Float Lamp

Item #	Size	Pack	Wt. (kg)	Packaging
58111/E	Ø7 in. / Ø18 cm	24	22.3 (10.1)	Full Color Box

- Advanced LED technology, multi-color alternating light
- Waterproof
- Solar-powered
- Turns on automatically at night
- Great for decoration on lawns or patios
- Simply place the Solar-Float Lamp in the sun and when night falls, watch your yard light up
- Extra-long 8-hour runtime
- 1.2 V



LED Floating Pool Fountain

Item #	Size	Pack	Wt. (kg)	Packaging
58493/E	Ø7.3 in. / Ø18.5 cm	6	14.0 (6.3)	Full Color Box

- Illuminate your backyard pool with multi-color water fountain light show!
- Built-in lithium battery can be recharged and reused repeatedly, lasts 2-5 hours after fully charged
- Coverage area of light: diameter 8 ft. / 2.43 m, height 5 ft. / 1.52 m
- Simple operation and easy to use button panel
- Light show and water fountain function can be used independently, controlled by two different buttons
- Colorful light show projects toward the bottom of the pool and projects through the fountain. There are 5 different lighting modes with 5 colors: red, green and blue
- Max. height of water fountain can reach up to 5 ft. / 1 m
- Has two spraying modes: Pulse and High Beam
- IP67 waterproof rating
- Automatic shut-off in 1 hour



SolarSphere™ LED Chemical Dispenser

Item #	Size	Pack	Wt. (kg)	Packaging
58699/E	7.1 in. x 7.1 in. x 10.4 in. / 18 cm x 18 cm x 26.5 cm	6	13.4 (6.1)	Full Color Box

- Holds 6 chlorine or bromine tablets up to 3 in. / 7.6 cm in diameter (not included)
- LED light slowly flashes, resembling a flickering candle
- LED Light Working Hours: 6-8 hours
- One-touch ON/OFF button
- Solar battery charges during the day and runs at night

NEW



Collapsible
Design!



Flashing LED Light
Resembles a Flickering Candle




MusicWave™ Floating LED Bluetooth Speaker

Item #	Pack	Box Dim	Packaging
58700/E	6	11.8 (5.3)	Full Color Box

NEW

- V5.1 Bluetooth speaker provides clear sound, also compatible with V4.2 & V2.1+EDR devices
- LED light with 7 modes (3 fixed colors and 4 rotating)
- IP67 waterproof rating - completely submerge-proof and protects from dust
- Convenient carry handle
- Communication Distance: 33-49 ft. / 10-15 m
- Working Time: 6 hour maximum
- Built-in rechargeable battery



POOL CLEANERS

Item	58013/E Maintenance Kit 80 in. (2.03 m)	58195/E Pool Accessories Set	58212/E AquaCrawl™ Pool Vacuum	58234/E AquaClean™ Pool Cleaning Kit	58237/E Deluxe Maintenance Kit	58282/E Angler Pool Vacuum
Product Photo						
Recommended Pool						
	Any model	Any model				
	Up to 13 ft. (3.96 m) diameter	Up to 13 ft. (3.96 m) diameter	Up to 15 ft. (4.57 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 20 ft. (6.10 m) diameter	Any model
	Up to 13 ft. (3.96 m) diameter	Up to 13 ft. (3.96 m) diameter	Up to 15 ft. (4.57 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 20 ft. (6.10 m) diameter	Any model
	Up to 13 ft. (3.96 m) wide	Up to 13 ft. (3.96 m) wide	Up to 12 ft. (3.66 m) wide	Any model	Any model	Any model
	Up to 13 ft. (3.96 m) wide	Up to 13 ft. (3.96 m) wide	Up to 12 ft. (3.66 m) wide	Any model	Any model	Any model
	Up to 13 ft. (3.96 m) diameter	Up to 13 ft. (3.96 m) diameter	Up to 15 ft. (4.57 m) diameter	Any model		Any model
	Any model	Any model				
Details						
Operating System	Garden Hose - Venturi Effect	Garden Hose - Venturi Effect	Filter and Sand Pumps - low and medium flow rate from 530 to 2,500 gal. - from 2.0 to 9.4 m ³ /h			
Handling	Manual	Manual	Manual	Manual		Manual
Pole Length	65.7 in. (1.67 m)	63.3 in. (1.61 m)	74.6 in. (1.90 m)	110 in. (2.79 m)	110 in. (2.79 m)	
Hose Length			19.7 ft. (6.00 m)	24.5 ft. (7.50 m)	24.5 ft. (7.50 m)	
Valve Compatibility			1.25 in. (3.2 cm) / 1.5 in. (3.8 cm) adapters included	1.25 in. (3.2 cm) / 1.5 in. (3.8 cm) adapters included	1.25 in. (3.2 cm) / 1.5 in. (3.8 cm) adapters included	
Inner Wall Cleaning			Yes	Yes	Yes	Yes
Minimum Flow			Outlet 530 gal. (2,006 L/h)	Outlet 530 gal. (2,006 L/h)	Outlet 530 gal. (2,006 L/h)	Outlet 530 gal. (2,006 L/h)
Minimum Wattage						
Highlights	<ul style="list-style-type: none"> Reusable debris bag Skimmer net included 	<ul style="list-style-type: none"> Reusable debris bag Skimmer net included Chemical floater Pool & spa test strips Heavy-duty repair patch Floating pool thermometer 	<ul style="list-style-type: none"> Reusable debris bag Two angled conversion nozzles, one with brush 	<ul style="list-style-type: none"> Reusable debris bag Skimmer net included 	<ul style="list-style-type: none"> Reusable debris bag Skimmer net included Pool surface skimmer 	<ul style="list-style-type: none"> Bottom brushes

58657/E AquaSuction™ Leaf Vacuum	58648/E AquaTech™ Cordless Pool Vacuum	58649/E AquaSurge™ Rechargeable Pool Vacuum	58665/E AquaDrift™ Automatic Pool Cleaner	58620 - 58621/E AquaGlide™	58622 - 58623/E AquaRover™
Any model	Any model	Any model			
Any model	Up to 10 ft. (3.05 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 22 ft. (6.70 m) diameter	Up to 16 ft. (4.88 m) diameter	Any model
Any model	Up to 42 in. (1.07 m) height	Up to 20 ft. (6.10 m) diameter	Up to 22 ft. (6.70 m) diameter	Up to 16 ft. (4.88 m) diameter	Any model
Any model	Up to 42 in. (1.07 m) height	Up to 20 ft. (6.10 m) wide	Up to 22 ft. (6.70 m) wide	Up to 21 ft. (6.40 m) length	Any model
Any model	Up to 42 in. (1.07 m) height	Up to 20 ft. (6.10 m) wide	Up to 22 ft. (6.70 m) wide	Up to 18 ft. (5.49 m) length	Any model
Any model	Up to 42 in. (1.07 m) height	Up to 20 ft. (6.10 m) diameter	Up to 22 ft. (6.70 m) diameter	Up to 16 ft. (4.88 m) diameter	Any model
Any model	Any model	Any model			
Garden Hose - Venturi Effect			Filter pumps or sand filters with 1,500-1,200 gal./h (5,678-4,731 L/h) flow rates	Rechargeable lithium battery	Rechargeable lithium battery
Manual	Manual	Manual	Automatic	Automatic	Automatic
	46.9 in. (1.19 m)	78.7 in. (2.0 m)	22.95 ft. (7.00 m)		
			1.25 in. (3.2 cm) / 1.5 in. (3.8 cm) adapters included		
		Yes			
			Outlet 1,500 gal. (5,678 L/h)		
			86 w		
<ul style="list-style-type: none"> Reusable debris bag 	<ul style="list-style-type: none"> AA battery x 8 (not included) Up to 0.8 hrs operating time Reusable debris bag Brushes 	<ul style="list-style-type: none"> Cleaner body Large head Flat brush Filter bag USB cable 3-section 27.5 in. (70 cm) aluminum pole 	<ul style="list-style-type: none"> Handles for easy retrieval from the water Large 0.45 gal. (1.7 L) easy-to-clean strainer Bottom brush helps collect debris 	<ul style="list-style-type: none"> Waterproof Magnetic Switch On / Off LED light Drop / Retrieval kit Locking Clips Clip-On Brush Head Locking Flap for 180-Degree Turns Standard 0.58 gal. (2.2 L) Filter 	<ul style="list-style-type: none"> Waterproof Magnetic Switch On / Off LED light Drop / Retrieval kit Locking Clips Clip-On Brush Head Locking Flap for 180-Degree Turns Standard 1 gal. (4 L) Filter



AquaTech™ Cordless Pool Vacuum

Item #	Pack	Wt. (lb.)	Packaging
58648/E	6	20.5 (9.3)	Full Color Box

- Compatible with pools up to 10 ft. (3.05 m) in diameter
- Cordless vacuum efficiently removes dirt and debris
- Simple press-button operation
- Requires 8x AA batteries (not included)
- 3-section lightweight telescopic pole for easy length adjustment in hard to reach areas
- Large 0.17 gal. (0.65 L) transparent debris compartment

AquaSurge™ Rechargeable Pool Vacuum

Item #	Pack	Wt. (lb.)	Packaging
58649/E	4	17.2 (7.8) 16.8 (7.6)	Full Color Box

- Compatible with pools up to 20 ft. (6.10 m) in diameter
- Cordless vacuum efficiently removes dirt and debris
- Simple press-button operation
- Built-in rechargeable battery runs for 50 minutes
- Charging time: 4-5 hours
- USB port for charging
- 3-section connection pole
- Large 0.07 gal. (0.27 L) transparent debris compartment
- Includes 2 interchangeable vacuum heads to clean flat walls or corners





AquaDrift™ Automatic Pool Cleaner

Item #	Pack	Box Dim	Packaging
58665/E	1	13.9 (6.3)	Full Color Box

- Compatible with filter pumps or sand filters with 1,500-3,200 gal./h (5,678-12,113 L/h) flow rates
- Compatible with above ground pools up to 22 ft. (6.70 m) in diameter
- Automatic pool cleaner uses the power from the filter to propel itself along the bottom of the pool to collect debris
- Anti-slip multidirectional wheels increase movability and change direction when encountering walls or obstacles
- Adjustability settings to choose the direction and angle of the wheels
- Handles for easy retrieval from the water
- Large 0.45 gal. (1.7 L) easy-to-clean strainer
- Bottom brush helps collect debris
- Flow adjustment valve for use with filtration systems of different flow rates
- Includes hoses and connectors compatible with most leading pool pump brands



GUARANTEED

90 MIN

OF FULL
POWER CLEAN

DIRECTIONAL

SUPERIOR

FOR EFFICIENT CLEANING


JET SYSTEM



AquaRover™

Item #	Plug Type	Voltage	Pack	Wt. (kg)	Packaging
58623/E	TYPE A	100-240V-	1	14.8 (6.7)	Full Color Box
58622	TYPE C	DC 8.4V			

- Autonomous pool cleaning robot
- Cordless design for full range motion, eliminates tangled cords
- Long-lasting rechargeable lithium battery, 90 minutes cycle run time
- Standard filter traps up to 1 gal. (4 L) of debris
- Patented directional jet system provides efficient cleaning as the robot will change direction when encountering walls or obstacles
- Included drop retrieval kit to easily locate and remove robot
- Recommended for flat-bottom pools
 - Round Pools: up to 24 ft. (7.32 m) in diameter or 484 ft.² (45 m²) in total area
 - Rectangular pools: up to 31 ft. 4 in. (9.56 m) in length or 463 ft.² (43 m²) in total area
- Recharge time: 5-6 hours
- Built-in water sensors activate the device when fully submerged in water and deactivate when out of the water for motor protection
- Components:
 - Automatic On / Off Sensor
 - Waterproof Magnetic Switch
 - On / Off LED light
 - Drop / Retrieval kit
 - Locking Clips
 - Clip-On Brush
 - Head Locking Flap for 180-Degree Turns
 - Standard 1 gal. (4 L) Filter





AquaGlide™

Item #	Plug Type	Voltage	Pack	Wt. (kg)	Packaging
58621E	TYPE A	100-240V-DC 8.4V	1	11.5 (5.2)	Full Color Box
58620	TYPE C				

- Recommended for flat bottom pools up to 16 ft. / 4.88 m in diameter or 215 ft.² / 20 m² in total area (above ground or in-ground)
- Autonomous pool cleaning robot
- Cordless design for full range motion; eliminates tangled cords
- Patented directional jet system provides efficient cleaning as the robot will change direction when encountering walls or obstacles
- Built-in water sensors activate the device when fully submerged in water and deactivate when out of the water for motor protection
- Included drop retrieval kit to easily locate and remove robot
- Standard filter traps up to 0.58 gal. / 2.2 L of debris
- Built-in rechargeable battery runs for 40 minutes
- Recharge time: 5-6 hours



Angler Pool Vacuum

Item #	Pack	Wt. (kg)	Packaging
58282/E	12	23.1 (10.5)	Header Card

- Compatible with poles with 1.2 in. / 30 mm (inner diameter)
- Brushes remove algae and grime from pool floors
- Filter powered vacuum sucks debris off the floor



AquaSuction™ Leaf Vacuum

Item #	Pack	Wt. (kg)	Packaging
58657/E	6	15.4 (7.0)	Full Color Box

- For use with all pools
- 8 high-pressure jets create suction to vacuum small leaves and debris
- 4 multi-directional wheels for easy movement and maneuverability
- 3 brushes along the bottom for a closer clean
- Compatible with pool cleaning poles with inner diameter of 1.2 in. / 30 mm
- Connects to a standard garden hose with universal adapter
- Large, durable and reusable mesh debris bag with stay-in-place lock





AquaNet

Item #	Size	Pack	Wt. (kg)	Packaging
58278/E	16.9 in. x 8.3 in. / 43 cm x 21 cm	12	7.1 (3.2)	Header Card

- Compatible with pool cleaning poles that are 1.2 in. / 3 cm (inner diameter)
- Scoop debris from pool water
- Durable mesh netting



AquaRake™

Item #	Size	Pack	Wt. (kg)	Packaging
58660/E	19.7 in. x 11.6 in. / 50 cm x 29.5 cm	12	13.5 (6.1)	Header Card


- Compatible with poles with inner diameter of 1.2 in. / 30 mm
- Soft scoop front for easy debris collecting
- Durable mesh netting



AquaRake™ Deluxe

Item #	Size	Pack	Wt. (kg)	Packaging
58661/E	19.7 in. x 10.2 in. / 50 cm x 26 cm	12	17.6 (8.0)	Header Card

- Compatible with poles with inner diameter of 1.2 in. / 30 mm
- High-strength aluminum handle and frame
- Large net with durable mesh material



Aluminum Inner Frame!



AquaBroom™

Item #	Size	Pack	Wt. (kg)	Packaging
58280/E	20 in. / 50.5 cm	12	8.2 (3.7)	Header Card

- Compatible with pool cleaning poles that are 1.2 in. / 30 mm (inner diameter)
- Quickly removes algae and grime from pool walls and pool floor
- Curved brush head easily cleans the corners of the pool
- Push pins make brush compatible with different sized poles



AquaBroom™ Deluxe Pool Brush Head


Item #	Size	Pack	Wt. (kg)	Packaging
58658/E	25 in. / 63.5 cm	12	13.1 (5.9)	Header Card

- Compatible with pool cleaning poles that are 1.2 in. / 30 mm (inner diameter)
- High-strength metal handle with corrosion resistant coating
- Quickly remove algae and grime from pool walls and pool floor
- Curved ends to clean corners



Nylon Bristles!





Maintenance Kit

Item #	Pack	Wt. (kg)	Packaging
58013/E	6	13.9 (6.3)	Full Color Box

Pole Length: 65.7 in. / 1.67 m
Cleans Inner Wall

- Includes a lightweight pole with interchangeable vacuum and skimmer heads
- Vacuum has a one piece cleaning head with reusable debris bag
- Vacuum connects to garden hose
- Skimmer has a durable mesh netting
- Compatible with pools up to 13 ft. / 3.96 m in diameter

Pool Accessories Set

Item #	Pack	Wt. (kg)	Packaging
58195/E	4	12.0 (5.5)	Each Set In A Clam Shell

Pole Length: 63.3 in. / 1.61 m
Cleans Inner Wall

- Maintenance Kit: Four-section structure
- Compatible with pools up to 13 ft. / 3.96 m in diameter

- Kit Includes:
 - Maintenance Kit, 1 Piece
 - Chemical Floater, 1 Piece
 - Floating Pool Thermometer, 1 Piece
 - Pool and Spa Test Strips, 1 Piece
 - Heavy-duty Repair Patch, 1 Piece



AquaCrawl Pool Vacuum

Item #	Pack	Wt. (kg)	Packaging
58212/E	6	30.1 (13.7) 31.1 (14.1)	Full Color Box

Pole Length: 74.6 in. / 2.79 m
Cleans Inner Wall

- Four section aluminum poles are easy to assemble
- Removable and reusable debris and leaf bag
- Two angled conversion nozzles, one with a brush
- Extra-long vacuum hose 19.7 ft. / 6.00 m long, 1.25 in. / 3.2 cm diameter
- Attach to the filter pump for light cleaning for your pool
- Compatible with filter pumps with flow rates of 530 gal./h (2,006 L/h) and above
- Compatible with above ground pools up to 15 ft. / 4.57 m in diameter

AquaClean Pool Cleaning Kit

Item #	Pack	Wt. (kg)	Packaging
58234/E	4	32.5 (14.8) 33.2 (15.1)	Full Color Box

Pole Length: 110 in. / 2.79 m
Cleans Inner Wall

- Includes 110 in. / 2.79 m adjustable aluminum pole for large diameter pools
- Removable and reusable debris and leaf bag
- Extra-long vacuum hose 24.5 ft. / 7.50 m, 1.25 in. / 3.2 cm diameter
- Vacuum has a one-piece cleaning head
- Compatible with above ground pools up to 20 ft. / 6.10 m in diameter
- Super-easy assembly
- Attach to filter pump to provide a powerful light-weight vacuum system to clean pool floor and walls
- Skimmer has a durable mesh netting
- Compatible with filter pumps with flow rates of 530 gal./h (2,006 L/h) and above

Deluxe Maintenance Kit

Item #	Pack	Wt. (kg)	Packaging
58237/E	2	28.3 (12.8)	Full Color Box

Pole Length: 110 in. / 2.79 m
Cleans Inner Wall

- Durable and corrosion-proof plastic material
- Includes 110 in. / 2.79 m adjustable aluminum pole for large diameter pools
- Removable and reusable debris and leaf bag
- Compatible with filter pumps with flow rates of 530 gal./h (2,006 L/h) and above
- Attach to the filter pump for skimming and vacuuming
- Compatible with above ground pools up to 20 ft. / 6.10 m in diameter
- Extra-long vacuum hose 24.5 ft. / 7.50 m, 1.25 in. / 3.2 cm diameter
- Multi-functional
 - Pool surface skimmer: working with the filter pump cleans floating leaves and other debris
 - Pool vacuum: working with the filter pump cleans pool walls and floor
 - Pool skimmer: manually clean floating debris





StorePro™ Pool Accessory Organizer

Item #	Pack	Wt. (kg)	Packaging
58674/E	12	29.3 (13.3)	Full Color Box

- Constructed with durable steel and ABS plastic
- Stores up to 2 poles and 5 skimmers, brushes, rakes or vacuums with 1.2 in. / 3 cm diameter handles
- 2 built-in hooks and included strap to hold additional accessories
- Can be hooked to fence with included hanger (adjustable up to 3 in. / 7.62 cm) or secured to other types of structures with included self-tapping screws



Pool Surface Skimmer

Item #	Pack	Wt. (kg)	Packaging
58233/E	4	17.9 (8.1)	Full Color Box

- Durable and corrosion-proof plastic material
- Mount on the pool wall to suck in floating leaves or other debris
- Attach to the filter pump for automatic skimming
- Compatible with filter pumps with flow rates of 530 gal./h (2,006 L/h) and above
- For use with above ground pools (not compatible with steel wall pools)
- Easy to clean



Cleancast Skimmer

Item #	Size	Pack	Wt. (kg)	Packaging
58277	12.5 in. x 12 in. / 32 cm x 30.5 cm	12	5.9 (2.7)	Header Card

- Compatible with pool cleaning poles that are 1.2 in. / 3 cm (inner diameter)
- Removes debris from pool water
- Durable mesh netting



AquaScoop™ Skimmer Set

Item #	Size	Pack	Wt. (kg)	Packaging
58635/E	64 in. / 163 cm	12	12.0 (5.4)	Header Card

- Durable mesh netting
- Angled scoop easily collects debris from hard-to-reach bottom and tough corners
- Removes floating debris quickly and easily
- Lightweight, extendable, 3-segmented aluminum shaft
- Collapsible shaft contracts into net for easy carry and storage
- Compatible with pools up to 13 ft. / 3.96 m in diameter



Self Repairing Mesh



AquaScoop™ Deluxe Skimmer

Item #	Size	Pack	Wt. (kg)	Packaging
58659/E	16 in. x 13.4 in. / 40 cm x 34 cm	12	15.2 (6.9)	Header Card

- Compatible with poles with inner diameter of 1.2 in. / 30 mm
- High-strength aluminum handle and frame
- Large net with durable mesh material



Self Repairing Mesh



Aluminum Inner Frame



E-Z-Broom Pole

Item #	Size	Pack	Wt. (kg)	Packaging
58279/E	142 in. / 3.60 m	24	43.7 (19.8)	Polybag With Labels

- Inner diameter 1.2 in. / 3 cm
- Lightweight aluminum shaft
- Ideal for attaching to pool-cleaning accessories



Collapsible Telescopic Pole

Item #	Size	Pack	Wt. (kg)	Packaging
58702/E	15 ft. / 4.57 m	8	25.4 (11.5)	Shrink Wrapped with Insert Card

- 1 extendable pole with additional pole attachment - pole length can range from 41 in. - 15 ft. (1.04 m - 4.57 m)
- Corrosion-resistant anodized finish
- Inner diameter of 1.2 in. / 3 cm

NEW



Heavy Duty Repair Patch

Item #	Pack	Wt. (kg)	Packaging
62068/E	36	1.9 (0.9)	Blister Card

- 10 pcs included
- 6.55 sq. in. (42.3 cm²) stick-on patches
- Repairs punctures and abrasions on all inflatable items



Underwater Adhesive Repair Patch

Item #	Pack	Wt. (kg)	Packaging
62091/E	36	2.3 (1.0)	Blister Card


- 10 pcs included
- 6.55 sq. in. (42.3 cm²) stick-on patches
- Repairs punctures and abrasions on pools and other underwater items



Pool & Spa Test Strips

Item #	Pack	Wt. (kg)	Packaging
58142/E	24	2.7 (1.2)	Blister Card

- The ideal solution for basic pool and spa water testing
- 3-in-1 Test Strip:
 - Free Chlorine
 - pH
 - Total Alkalinity
- Easy Color-Match System
- Measures Free Chlorine 0 to 10 ppm, Alkalinity 0 to 240 ppm and pH 6.2 to 8.4 with instant results
- Contains 50 test strips
- 18-Month Shelf Life





Pool + Drain Pump

Item #	Pump Flow Rate Gal. (L) / hr	Certification	Rating	Pack	Wt. (kg)	Packaging
58261/E	800 (3,028)	CTUVus	110-120V-, 0.8A	4	28.6 (13.0)	Full Color Box
58230		CE	220-240V-, 80W		30.5 (13.8)	

- A quick and easy way to drain your pool water
- Durable construction
- Corrosion-proof material
- Extra-long drain hose 16.4 ft. / 5.00 m long, 1.25 in. / 3.2 cm diameter
- Includes adaptor to connect to a garden hose



16.4 ft. / 5 m Long Drain Hose



Clean Sun Powered Pool Pad

Item #	Pack	Wt. (kg)	Packaging
58423/E	4	58.5 (26.5)	Full Color Box

- 43 in. x 67 in. / 1.10 m x 1.71 m
- Compatible with 2,500 gal./h (9,462 L/h) filter pump and 2,200 gal./h (8,327 L/h) sand filter and below
- Compatible with all above ground pools
- Easy setup with included adaptor compatible with 1.25 in. / 3.2 cm and 1.5 in. / 3.8 cm hoses
- An economically and environmentally friendly way to heat swimming pool water
- Increase swimming pool water temperatures by approximately 3 - 5°C (5 - 9°F) depending on weather condition
- Provides superior durability and longer life time by using 0.9 mm PVC
- High-tech material provides superior resistance to weather and other abrasive agents
- Heating area of 15.72 ft.² (1.46 m²)
- Can be used in multiples to work together for different size pools



Pool Heater

Item #	Pack	Wt. (kg)	Packaging
58259	4	51.0 (23.1)	Full Color Box

- Compatible with above ground pools with water capacities between 1,520-17,035 L (400-4,500 gal.)
- Compatible with filter pumps with flow rates up to 3,785 L (1,000 gal.)
- Digitally-controlled pool heater with soft-touch control panel
- Water flow sensor for high level protection
- Pool heater is supplied with a portable residual current device-rated residual operating current not exceeding 10mA





Floating Pool Thermometer

Item #	Pack	Qty. (kg)	Packaging
58072/E	36	6.7 (3.1)	Blister Card

- ABS construction
- String attached to keep thermometer in place
- Easy-to-read temperature gradation in both Fahrenheit and Celsius



Floating Pool Thermometer

Item #	Pack	Qty. (kg)	Packaging
58595/E	24	8.6 (3.9)	Blister Card

- ABS construction
- String attached to keep thermometer in place
- Easy-to-read temperature gradation in both Fahrenheit and Celsius



Assorted Floating Pool Thermometer W/PDQ

Item #	Pack	Qty. (kg)	Packaging
58697/E	9	1.5 (0.7)	Shelf Box with Picture

- ABS construction
- String attached to keep thermometer in place
- Floating design
- Easy-to-read temperature gauge
- Displays in both Fahrenheit and Celsius

NEW



58697 PDQ





Chemical Floater

Item #	Pack	Box Qty	Packaging
58210	24	4.7 (2.1)	Shrink Wrapped With Insert Card

- Dispenses 1 in. / 2.5 cm chemical tablets
- Adjustable dial to control the release of chemicals
- No tablets included
- Contractive construction



Chemical Floater

Item #	Pack	Box Qty	Packaging
58071/E	12	9.0 (4.1)	Corrugated Sleeve Box

- Dispenses up to 3 in. / 7.6 cm chlorine or bromine tablets
- Adjustable dial to control the sanitizer level
- No tablets included



Chemical Floater With ChemGuard™ Glove

Item #	Pack	Box Qty	Packaging
58701/E	12	11.0 (5.0)	Corrugated Sleeve Box

- Dispenses up to 3 in. / 7.6 cm chlorine or bromine tablets (not included)
- Lid includes built-in glove for safe handling of chemical tablets
- Dual-action child safe lock secures lid to chemical float
- Adjustable dial to control the release of chemicals
- Integrated thermometer has easy-to-read temperature gauge with Fahrenheit and Celsius display



Collapsible Design

NEW



Built-in Glove and Thermometer!

SolarSphere™ LED Chemical Dispenser

Item #	Pack	Box Qty	Packaging
58699/E	6	13.4 (6.1)	Full Color Box

- Holds 6 chlorine or bromine tablets up to 3 in. / 7.6 cm in diameter (not included)
- LED light slowly flashes, resembling a flickering candle
- LED Light Working Hours: 6-8 hours
- One-touch ON/OFF button
- Solar battery charges during the day and runs at night



Collapsible Design

NEW





Hydrogenic™ 6 G/H Saltwater Chlorinator

Item #	Pack	Res. # of	Packaging
58677/E	1	13.0 (5.9)	Full Color Box
58678		11.2 (5.1)	

NEW

- Chlorine Output: 6 g/h
- Compatible with pools up to 7,000 gal. (26,498 L) and requires minimum flow rate of 330 gal. (1,249 L)
- Uses salt to produce chlorine that keeps the pool clean while being gentle on skin, eyes and hair
- Easy-to-use control panel with self-locking function
- Automatic self-cleaning mode
- Includes adapters for most above ground pools
- 50 test strips to test free chlorine, alkalinity and pH with instant results





33 in. / 84 cm Pool Ladder

Item #	Size	Pack	Wt. (kg)	Packaging
58430	Except North America	1	12.8 (5.8)	Sturdy Cardboard Box With Pictures

- Corrosion resistant metal frame
- Heavy-duty plastic steps
- Easy assembly



42 in. / 1.07 m Pool Ladder

Item #	Size	Pack	Wt. (kg)	Packaging
58335E	US		15.9 (7.2)	
58335	N. America / Asia, Africa & L. America	1	15.9 (7.2)	Sturdy Cardboard Box With Pictures
58330	Europe Union		19.4 (8.8)	

- Corrosion resistant metal frame
- Heavy-duty plastic steps
- Easy assembly
- Outer ladder can be secured in an upward position to prevent kids from entering the pool unsupervised (For 58330 only)



48 in. / 1.22 m Pool Ladder

Item #	Size	Pack	Wt. (kg)	Packaging
58336E	US		21.1 (9.6)	
58336	N. America / Asia, Africa & L. America	1	21.1 (9.6)	Sturdy Cardboard Box With Pictures
58331	Europe Union		26.2 (11.9)	

- Corrosion resistant metal frame
- Heavy-duty plastic steps
- Easy assembly
- Outer ladder can be secured in an upward position to prevent kids from entering the pool unsupervised (For 58331 only)

52 in. / 1.32 m Pool Ladder

Item #	Size	Pack	Wt. (kg)	Packaging
58337E	US		25.3 (11.5)	
58337	N. America / Asia, Africa & L. America	1	25.3 (11.5)	Sturdy Cardboard Box With Pictures
58332	Europe Union		29.0 (13.1)	

- Corrosion resistant metal frame
- Heavy-duty plastic steps
- Easy assembly
- Outer ladder can be secured in an upward position to prevent kids from entering the pool unsupervised (For 58332 only)



58332



Solar Pool Covers

Item #	Size Diameter	Fits Pools:	Pack	Res. (kg)
58060/E	6 ft. 10 in. / 2.10 m	- 8 ft. (2.44 m) Fast Set™ Pools	4	4.5 (2.0)
58241/E	9 ft. 6 in. / 2.89 m	- 10 ft. (3.05 m) Fast Set™ Pools - 10 ft. (3.05 m) Steel Pro™ Pools - 10 ft. (3.05 m) Steel Pro MAX™ Pools	2	4.1 (1.9)
58242/E	11 ft. 8 in. / 3.56 m	- 12 ft. (3.66 m) / 13 ft. (3.96 m) Fast Set™ Pools - 12 ft. (3.66 m) Steel Pro™ Pools - 12 ft. (3.66 m) Steel Pro MAX™ Pools	2	6.4 (2.9)
58252/E	15 ft. 8 in. / 4.17 m	- 15 ft. (4.57 m) Fast Set™ Pools - 14 ft. (4.27 m) Steel Pro MAX™ Pools - 14 ft. (4.27 m) Power Steel™ Pools - 13 ft. (3.96 m) Steel Pro™ Pools - 13 ft. (3.96 m) Power Steel™ Pools	2	8.0 (3.6)
58253/E	15 ft. 2 in. / 4.62 m	- 16 ft. (4.88 m) Power Steel™ Pools - 16 ft. (4.88 m) Power Steel™ Swim Vista Series™ Pools - 15 ft. (4.57 m) / 16 ft. (4.88 m) Steel Pro MAX™ Pools	2	9.4 (4.2)
58175/E	17 ft. 3 in. / 5.27 m	- 18 ft. (5.49 m) Steel Pro MAX™ Pools - 18 ft. (5.49 m) Power Steel™ Pools - 18 ft. (5.49 m) Power Steel™ Swim Vista Series™ Pools	1	6.4 (2.9)
58240	12 ft. 5 in. x 70.5 in. / 3.80 m x 1.80 m	- 13 ft. 3 in. x 6 ft. 7 in. x 39.5 in. (4.04 m x 2.01 m x 1.00 m) - 13 ft. 6 in. x 6 ft. 7 in. x 48 in. (4.12 m x 2.01 m x 1.22 m) Power Steel™ Pools	2	4.2 (1.9)
58672/E	12 ft. 11 in. x 6 ft. 11 in. / 3.94 m x 2.10 m	- 14 ft. x 8 ft. 2 in. x 39.5 in. (4.27 m x 2.50 m x 1.00 m) Power Steel™ Pools	2	4.3 (2.0)
58228	23 ft. x 11 ft. / 7.03 m x 3.36 m	- 21 ft. x 9 ft. x 52 in. (6.40 m x 2.74 m x 1.32 m) - 24 ft. x 12 ft. x 52 in. (7.32 m x 3.66 m x 1.32 m) Power Steel™ Pools	1	6.8 (3.1)

- PE material
- The solar cover utilizes solar energy to warm the pool water and prevents heat from escaping
- Minimizes pool debris
- Carry bag with insert card



Pool Covers

Item #	Size Diameter	Fits Pools:	Pack	Res. (kg)
58032/E	7 ft. 10 in. / 2.40 m	- 8 ft. (2.44 m) Fast Set™ Pools	6	18.8 (8.5)
58036/E	10 ft. / 3.05 m	- 10 ft. (3.05 m) Fast Set™ Pools - 10 ft. (3.05 m) Steel Pro™ Pools - 10 ft. (3.05 m) Steel Pro MAX™ Pools	6	28.1 (12.7)
58057/E	12 ft. 1 in. / 3.70 m	- 12 ft. (3.66 m) Fast Set™ Pools - 12 ft. (3.66 m) Steel Pro™ Pools - 12 ft. (3.66 m) Steel Pro MAX™ Pools	6	39.4 (17.9)
58248/E	14 ft. / 4.27 m	- 14 ft. (4.27 m) Steel Pro MAX™ Pools - 14 ft. (4.27 m) Power Steel™ Pools	6	49.6 (22.5)
58292	15 ft. 2 in. / 4.01 m	- 13 ft. (3.96 m) Steel Pro™ Pools - 13 ft. (3.96 m) Steel Pro MAX™ Pools - 13 ft. (3.96 m) Power Steel™ Pools - 13 ft. (3.96 m) Fast Set™ Pools	6	43.9 (19.9)
58058/E	15 ft. 5 in. / 4.70 m	- 12 ft. x 48 in. (3.60 m x 1.20 m) Hydrium™ Pools - 15 ft. (4.57 m) Fast Set™ Pools - 15 ft. (4.57 m) Steel Pro MAX™ Pools	4	58.1 (17.3)
58249/E	16 ft. 2 in. / 4.93 m	- 16 ft. (4.88 m) Steel Pro MAX™ Pools - 16 ft. (4.88 m) Power Steel™ Pools - 16 ft. (4.88 m) Power Steel™ Swim Vista Series™ Pools	4	41.5 (18.8)
58039/E	18 ft. 2 in. / 5.55 m	- 15 ft. x 48 in. (4.60 m x 1.20 m) Hydrium™ Pools - 18 ft. (5.49 m) Steel Pro MAX™ Pools - 18 ft. (5.49 m) Power Steel™ Pools - 18 ft. (5.49 m) Power Steel™ Swim Vista Series™ Pools	4	50.7 (23.0)

- PVC material
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full color box



Pool Covers

Item #	Size Diameter	Fits Pools:	Pack	Res. (kg)
58103	7 ft. 4 in. x 60.5 in. / 2.24 m x 1.54 m	- 7 ft. 3 in. x 59 in. x 17 in. (2.21 m x 1.50 m x 43 cm) Steel Pro™ Pools	8	9.3 (4.2)
58105	8 ft. 8 in. x 68.5 in. / 2.64 m x 1.74 m	- 8 ft. 6 in. x 67 in. x 24 in. (2.59 m x 1.70 m x 61 cm) Steel Pro™ Pools	8	11.1 (5.0)
58106	10 ft. x 6 ft. 9 in. / 3.04 m x 2.05 m	- 9 ft. 10 in. x 6 ft. 7 in. x 26 in. (3.00 m x 2.01 m x 66 cm) Steel Pro™ Pools	6	10.3 (4.7)
58107	13 ft. 5 in. x 7 ft. 5 in. / 4.10 m x 2.26 m	- 13 ft. 1 in. x 6 ft. 11 in. x 32 in. (4.00 m x 2.11 m x 81 cm) Steel Pro™ Pools	6	14.9 (6.8)

- PE material
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full color box



Pool Covers

Item #	Size Diameter	Fits Pools:	Pack	Res. (kg)
58424	10 ft. x 6 ft. / 3.05 m x 1.84 m	- 10 ft. x 6 ft. 7 in. x 33 in. (3.05 m x 2.00 m x 84 cm) Power Steel™ Oval Pools	6	21.2 (9.6)
58425	14 ft. x 7 ft. 5 in. / 4.27 m x 2.30 m	- 14 ft. x 8 ft. 2 in. x 39.5 in. (4.27 m x 2.50 m x 1.00 m) Power Steel™ Oval Pools	6	32.0 (14.5)
58442	8 ft. 10 in. x 70 in. / 2.69 m x 1.79 m	- 9 ft. 3 in. x 6 ft. 5 in. x 33 in. (2.82 m x 1.96 m x 84 cm) Power Steel™ Pools	6	19.9 (9.0)
58232	13 ft. x 6 ft. 1 in. / 3.96 m x 1.85 m	- 13 ft. 6 in. x 6 ft. 7 in. x 48 in. (4.12 m x 2.01 m x 1.22 m) - 13 ft. 3 in. x 6 ft. 7 in. x 39.5 in. (4.04 m x 2.01 m x 1.00 m) Power Steel™ Pools	6	29.0 (13.1)

- PVC material
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full color box





Pool Canopy

Item #	Fits Pools:	Pack	Box Dim	Packaging
58681/E	10 ft. (3.05 m) - 18 ft. (5.49 m)	4	19.9 (9.0)	Full Color Box

- Product Weight: 3.85 lbs (1.745 kg)
- One Layer
- Fabric: 190T Polyester PA300mm Coated + UPF 40+
- Window: 190T Polyester PA300mm Coated + 240g/m2 Polyester mesh
- Poles: Fiberglass - Ø7.9 mm
- Carry Bag: 190T Polyester PA300mm Coated
- Single layer canopy can be easily attached to and detached from the frame of the pool
- Curtains can be rolled up and down using the zipper to control the shade and protection from the sun
- Semi-open design provides shade over a portion of the pool
- Compatible with round frame pools with diameters between 10 ft. (3.05 m) - 18 ft. (5.49 m)
- Setup time: 10 min.




Pool Canopy

Item #	Fits Pools:	Pack	Box Dim	Packaging
58746/E	6 ft. 11 in. (2.10 m) - 11 ft. 2 in. (3.40 m)	1	33.7 (15.3)	Full Color Box

- Easily attaches to and detaches from the frame of an above ground pool
- UPF 40+ sun protection
- Compatible with rectangular and oval frame pools with widths of both sides between 6 ft. 11 in. (2.10 m) and 11 ft. 2 in. (3.40 m)
- Setup time: 10 min.



NEW





Ground Cloths

Item #	Size Diameter	Fits Pools:	Pack	Wt. (Lb.)
58000	9 ft. x 9 ft. / 2.74 m x 2.74 m	- 8 ft. (2.44 m) Fast Set™ Pools - 8 ft. (2.44 m) Steel Pro™ Pools	6	8.9 (4.1)
58001/E	11 ft. x 11 ft. / 3.35 m x 3.35 m	- 10 ft. (3.05 m) Fast Set™ Pools - 10 ft. (3.05 m) Steel Pro™ Pools - 10 ft. (3.05 m) Steel Pro MAX™ Pools - 10 ft. x 48 in. (3.00 m x 1.20 m) Hydrium™ Pools	4	8.6 (3.9)
58002/E	13 ft. x 13 ft. / 3.96 m x 3.96 m	- 12 ft. (3.66 m) Fast Set™ Pools - 12 ft. (3.66 m) Steel Pro™ Pools - 12 ft. (3.66 m) Steel Pro MAX™ Pools - 12 ft. x 36 in. (3.60 m x 90 cm) Hydrium™ Splasher Pools - 12 ft. x 48 in. (3.60 m x 1.20 m) Hydrium™ Pools	4	11.8 (5.4)
58003/E	16 ft. x 16 ft. / 4.88 m x 4.88 m	- 15 ft. (4.57 m) Fast Set™ Pools - 15 ft. (4.57 m) Steel Pro MAX™ Pools - 14 ft. (4.27 m) Steel Pro MAX™ Pools - 14 ft. (4.27 m) Power Steel™ Pools - 14 ft. (4.27 m) Power Steel™ Deluxe Series™ Pools - 15 ft. x 36 in. (4.60 m x 90 cm) Hydrium™ Splasher Pools - 15 ft. x 48 in. (4.60 m x 1.20 m) Hydrium™ Pools	4	16.8 (7.6)

- PE material
- Provides extra protection for the bottom of the pool
- Full Color Box



Pool Floor Protector

Item #	Size Diameter	Contents	Colors	Pack	Wt. (Lb.)
58220/E	20 in. x 20 in. / 50 cm x 50 cm	9 Pieces		30	50.3 (22.8)
58636/E	31 in. x 31 in. / 78 cm x 78 cm			8	33.4 (15.1)


- Multiple packages may be needed to cover the desired area
- Durable polyethylene
- Provides added protection for pool floors
- Shrink Wrapped With Insert Card



Decorative Pool Floor Protector

Item #	Size Diameter	Contents	Colors	Pack	Wt. (Lb.)
58712/E	20 in. x 20 in. / 50 cm x 50 cm	12 Pieces		24	69.8 (31.7)

- Multiple packages may be needed to cover the desired area
- Durable polyethylene
- Realistic wooden pattern
- Provides added protection for several types of floors
- Attachable pieces for straight edges



NEW



SHANGHAI

Bestway Inflatable & Material Corp.
No. 209 Jin Yuan Wu Road,
Shanghai, 201812, China
Tel: 86 21 8913 5688
E-mail: info@bestwaycorp.com

HONG KONG

Bestway (Hong Kong) International Ltd. Suite 713
7/Floor, East Wing, Tsim Sha Tsui Centre,
66 Mody Road, Kowloon, Hong Kong
Tel: 852 2997 7169
E-mail: info@bestwaycorp.hk

U.S.A.

Bestway (USA) Inc.
3436 S. McQueen Road,
Chandler, AZ 85286, United States of America
Tel: 1 480 838 3688
E-mail: info@bestwaycorp.us

EUROPE

Bestway Europe S.p.a.
Via Resistenza, 5
20098 San Giuliano M.se (MI), Italy
Tel: 39 02 9384 881
E-mail: info@bestwaycorp.eu

EASTERN EUROPE

Bestway Eastern Europe Sp. z o.o.
Ul. Ekologiczna 24
05-080 Klausdyn Poland
Tel: 48 22 60 22 508
E-mail: info@bestwaycorp.pl

LATIN AMERICA

Bestway Central & South America Ltda
Salar Acoolan 1282, Parque Enea,
Pudahuel, Santiago, Chile
Tel: 562 3203 6438
E-mail: info@bestwaycorp.lat

BRAZIL

Bestway Brazil
Av. Camo Azul, 2783 Maringá - PR - Brazil
Zip Code: 87010-055
Tel: 55 44 3046 2960 / 0800 001 8400
E-mail: info@bestwaycorp.com.br

AUSTRALIA

Bestway Australia Pty Limited
Unit 2/99-104 Camaron St
Silverwater, NSW 2128, Australia
Tel: 61 2 9037 1388
E-mail: info@bestwaycorp.com.au

FRANCE

Bestway France Sarl
1681 route des Dolines
Les Talloires - Belom
06560 VALBONNE
Tel: 33 4 97 04 92 99
E-mail: info@bestwaycorp.fr

GERMANY

Bestway Deutschland GmbH
Parkstraße 11
24624 Neumünster, Germany
Tel: 49 4321 555 06 - 0
E-mail: info@bestwaycorp.de

SCANDINAVIA

Bestway Scandinavia A/S
Aaregatorvej 17, 3rd Fl
DK-1160 Copenhagen K, Denmark
Tel: 45 78744569
E-mail: info@bestway-scandinavia.eu

Bestway



WWW.BESTWAYCORP.COM

©2022 Bestway Inflatable & Material Corp. All rights reserved.
™ Trademarks owned and managed by Bestway Inflatable & Material Corp.

